

Carlos A. Morra
Psicopatología general.
Semiología del pensamiento

REFERENCIAS

- Abely P. El signo del espejo en las psicosis y más especialmente en la demencia precoz (publicado originalmente en 1930), en Stagnaro JC, Alucinar y Delirar. Buenos Aires: polemos; 1998.
- Abbott MH, Folstein SE, Abbey H, Pyeritz RE. Psychiatric manifestations of homocystinuria due to cystathionine beta-synthase deficiency: prevalence, natural history, and relationship to neurologic impairment and vitamin B6-responsiveness. *Am J Med Genet.* 1987; 26 (4): 959-69.
- Abramson HA. Psychotheraphobia and the primary physician. *J Asthma Res.* 1977; 14 (4): vi-ix.
- Abreu LN, Lafer B, Baca-Garcia E, Oquendo MA. Suicidal ideation and suicide attempts in bipolar disorder type I: an update for the clinician. *Braz J Psychiatry.* 2009; 31 (3): 271-80.
- Adachi N, Onuma T, Nishiwaki S, Murauchi S, Akanuma N, Ishida S, Takei N. Inter-ictal and post-ictal psychoses in frontal lobe epilepsy: a retrospective comparison with psychoses in temporal lobe epilepsy. *Seizure.* 2000; 9 (5): 328-35.
- Adamis D, Treloar A, Martin F, MacDonald AJ. A brief review of the history of delirium as a mental disorder. *History of Psychiatry.* 2007; 18 (4): 459-69.
- Adamou M, Hale AS. Erotomania induced by venlafaxine: a case study. *Acta Psychiatr Scand.* 2003; 107 (4): 314-7.
- Adler CM, Goldberg TE, Malhotra AK, Pickar D, Breier A. Effects of ketamine on thought disorder, working memory, and semantic memory in healthy volunteers. *Biol Psychiatry.* 1998; 43 (11): 811-6.
- Ahuja N, Vasudev K, Lloyd A. Hyperprolactinemia and delusion of pregnancy. *Psychopathology.* 2008; 41 (1): 65-8.
- Aizenberg D, Schwartz B, Zemishlany Z. Delusional parasitosis associated with phenelzine. *Br J Psychiatry.* 1991; 159: 716-7.
- Akiskal HS, Benazzi F, Perugi G, Rihmer Z. Agitated "unipolar" depression re-conceptualized as a depressive mixed state: implications for the antidepressant-suicide controversy. *J Affect Disord.* 2005; 85 (3): 245-58.

- Al-Sinawi H, Al-Adawi S, Al-Guenedi A. Ramadan fasting triggering koro-like symptoms during acute alcohol withdrawal: a case report from Oman. *Transcult Psychiatry*. 2008; 45 (4): 695-704.
- Alarcón R. Cultural psychiatry. *The Psychiatric Clinics of North America*. Volume 18, Number 3, September. Washington: WB. Saunders Company; 1995.
- Albert U, Venturello S, Maina G, Ravizza L, Bogetto F. Bulimia nervosa with and without obsessive-compulsive syndromes. *Compr Psychiatry*. 2001; 42 (6): 456-60.
- Albohn-Kühne C, Rief W. Shame, guilt and social anxiety in obesity with binge-eating disorder. *Psychother Psychosom Med Psychol*. 2011; 61 (9-10): 412-7.
- Alby JM, Mallat CF, Morel Fatio D. De quelques aspects du syndrome dysmorphophobique particulièrement en rapport avec avec la chirurgie plastique. *Confrontations psychiatriques*. 1969. 4, 27-48.
- Alciati A, Fusi A, D'Arminio Monforte A, Coen M, Ferri A, Mellado C. New-onset delusions and hallucinations in patients infected with HIV. *J Psychiatry Neurosci*. 2001; 26 (3): 229-34.
- Altieri M, Maestrini I, Mercurio A, Troisi P, Sgarlata E, Rea V, Di Piero V, Lenzi GL. Depression after minor stroke: prevalence and predictors. *Eur J Neurol*. 2012; 19 (3): 517-21.
- Alexander M, Stuss DT, Benson DF. Capgras syndrome: a reduplicative phenomenon. *Neurology*. 1979; 130: 68-71.
- Alexopoulos GS, Kiosses DN, Murphy C, Heo M. Executive dysfunction, heart disease burden, and remission of geriatric depression. *Neuropsychopharmacology*. 2004; 29 (12): 2278-84.
- Ali JA, Desai KD, Ali LJ. Delusions of pregnancy associated with increased prolactin concentrations produced by antipsychotic treatment. *Int J Neuropsychopharmacol*. 2003; 6 (2):111-5.
- Ali-Cherif A, Royere ML, Gosset A, Poncet M, Salamon G, Khalil R. Behavior and mental activity disorders after carbon monoxide poisoning. Bilateral pallidal lesions. *Rev Neurol (Paris)*. 1984; 140 (6-7): 401-5.
- Alici-Evcimen Y, Breitbart WS. Ifosfamide neuropsychiatric toxicity in patients with cancer. *Psychooncology*. 2007; 16 (10): 956-60.
- Akpata O, Omoregie OF, Akhigbe K, Ehikhamenor EE. Evaluation of oral and extra-oral factors predisposing to delusional halitosis. *Ghana Med J*. 2009; 43 (2): 61-4.
- Allan SJ, Doherty VR. 'Naevophobia'. *Clin Exp Dermatol*. 1995; 20 (6): 499-501.
- Allen RM, Young SJ. Phencyclidine-induced psychosis. *Am J Psychiatry*. 1978; 135 (9): 1081-4.

- Alnaes R. Social phobia: research and clinical practice. *Nord J Psychiatry*. 2001; 55 (6): 419-25.
- Alvarez J.M, Colina F. Clásicos de la paranoia. España: Dor, S.L; 1997.
- Amato Neto V, Amato JG, Amato VS, Ferreira Cs. Ekbom syndrome (delusory parasitosis): ponderations on two cases. *Rev Inst Med Trop Sao Paulo*. 2007; 49 (6): 395-6.
- American Psychiatric Association. DSM III. Diagnostic and Statistical Manual of Mental Disorders. Washington DC: American Psychiatric Association; 1980.
- American Psychiatric Association. DSM IV. Diagnostic and Statistical Manual of Mental Disorders. Washington DC: American Psychiatric Association; 1994.
- American Psychiatric Association. DSM IV-TR. Diagnostic and Statistical Manual of Mental Disorders. Washington DC: American Psychiatric Association; 2000.
- American Psychiatric Association. Desk Reference to the Diagnostic Criteria from DSM-5. Washington DC: American Psychiatric Publishing; 2013.
- American Psychiatric Association. DSM 5. Diagnostic and Statistical Manual of Mental Disorders. Washington DC: American Psychiatric Publishing; 2013.
- Amore M, Giordani L, Giorgetti G, Zazzeri N. Pharmacological treatment of delusional depression. *Minerva Psichiatr*. 1996; 37 (1): 29-33.
- Andersen HS, Sestoft D, Lillebaek T. Ganser syndrome after solitary confinement in prison: a short review and a case report. *Nord J Psychiatry*. 2001; 55 (3): 199-201.
- Anderson DN, Williams E. The delusión of inanimate doubles. *Psychopathology*. 1994; 27: 220-5.
- Andreasen NC. Scale for the assessment of thought, language, and communication (TLC). *Schizophr Bull*. 1986; 12 (3): 473-82.
- Andreasen NC, Olsen S. Negative v positive schizophrenia. Definition and validation. *Arch Gen Psychiatry*. 1982; 39 (7): 789-94.
- Andreasen NC, Olsen SA, Dennert JW, Smith MR. Ventricular enlargement in schizophrenia: relationship to positive and negative symptoms. *Am J Psychiatry*. 1982; 139 (3): 297-302.
- Arachchi NSM, Ganegama R, Husna AWF, Chandima DL, Hettigama N, Premadasa J, Herath J, Ranaweera H, Agampodi TC, Agampodi SB. Suicidal ideation and intentional self-harm in pregnancy as a neglected agenda in maternal health; an experience from rural Sri Lanka. *Reprod Health*. 2019; 16 (1): 166.
- Aragona M, Vella G. Psychopathological considerations on the relationship between bulimia and obsessive-compulsive disorder. *Psychopathology*. 1998; 31 (4): 197-205.

- Arana, A., Wentworth, C. E., Ayuso-Mateos, J. L., & Arellano, F. M. (2010). Suicide-related events in patients treated with antiepileptic drugs. *The New England journal of medicine*, 363(6), 542–551. <https://doi.org/10.1056/NEJMoa0909801>
- Arbeitsgemeinschaft Fur AMDP. Das AMDP-System. Arbeitsgemeinschaft für methodic und documentation in der psychiatrie (AMDP).4th ed. Gottingen. 2007. Hogrefe Versión Española: AMDP. El sistema AMDP. Grupo para el progreso de la psiquiatría. Madrid: Graficas Orbe; 1980.
- Arzeno Ferrão Y, Almeida VP, Bedin NR, Rosa R, D'Arrigo Busnello E. Impulsivity and compulsivity in patients with trichotillomania or skin picking compared with patients with obsessive-compulsive disorder. *Compr Psychiatry*. 2006; 47 (4): 282-8.
- Asconape J, Gil-Nagel A. Tratado de Epilepsia. Aravaca: McGraw-Hill/Interamericana de España S.A.U; 2004.
- Asri F, Tazi I, Maaroufi K, El Moudden A, Ghannane H, Ait Benali S. Cerebral hydatidic cyst and psychiatric disorders. Two cases. *Encephale*. 2007; 33 (2): 216-9.
- Attiullah N, Eisen JL, Rasmussen SA. Clinical Features of Obsessive-Compulsive Disorder. En Hollander E, Allen A. Obsessive-Compulsive Spectrum Disorders. *The Psychiatric Clinics of North America*. 2000; 23 (3): 469-91.
- Aziz MA, Razik GN, Donn JE. Dangerousness and management of delusional misidentification syndrome. *Psychopathology*. 2005; 38 (2): 97-102.
- Aziz VM, Warner NJ. Capgras' Syndrome of Time. *Psychopathology*, 2005; 38: 49-52.
- Bailey CH, Andersen LK, Lowe GC, Pittelkow MR, Bostwick JM, Davis MDP. A Population-Based Study of the Incidence of Delusional Infestation in Olmsted County, Minnesota, 1976–2010. *Br J Dermatol*. 2014; 170 (5): 1130-5.
- Baker PB, Cook BL, Winokur G. Delusional infestation en Sedler MJ. Delusional Disorders. Psychiatric Clinics of North America. Philadelphia. WB Saunders Company. 1995 Pág. 347
- Balázs A. Current concept of autism. *Orv Hetil*. 1991; 132 (51): 2827-35.
- Ball B. Lecons sur les Maladies Mentales. Paris: Asselin tt Houzeau; 1880.
- Ball SG, Otto MW. Cognitive-behavioral treatment of choking phobia: 3 case studies. *Psychother Psychosom*. 1994; 62 (3-4): 207-11.
- Ballet G. Les delires de persecution. Paris: L'Harmattan; 2001.
- Ballet G, Anglade D, Arnaud FL, Colin H, Dupré E, Dutil A, Rouvinovitch J, Séglas J, Vallon CH. Traité de Pathologie Mentale. Paris: Octave Doin; 1903.
- Ban TA. CODE-DD. Composite Diagnostic Evaluation of Depressive Disorders. Nashville, USA: JM Productions; 1989.
- Ban, TA. Neuropsychopharmacology and the Forgotten Language of Psychiatry. Córdoba: International Network for the History of Neuropsychopharmacology.

http://inhn.org/fileadmin/archives/Neuropsychopharmacol_Lang.pdf (accessed 22 Jan 2020)

- Banazak DA. Minor depression in primary care. *J Am Osteopath Assoc.* 2000; 100 (12): 783-7.
- Barcia D, Fuster P. Relation between obsessions and epileptic psychoses in children. *Rev Esp Otoneurooftalmol Neurocir.* 1969-1970; 28 (166): 311-8.
- Bark R, Dieckmann S, Bogerts B, Northoff G. Deficit in decision making in catatonic schizophrenia: an exploratory study. *Psychiatry Res.* 2005; 134 (2): 131-41.
- Barker E, Kõlves K, De Leo D. The relationship between asthma and suicidal behaviours: a systematic literature review. *Eur Respir J.* 2015; 46 (1): 96-106.
- Baron-Cohen S. An assessment of violence in a young man with Asperger's syndrome. *J Child Psychol Psychiatry.* 1988; 29 (3): 351-60.
- Baruk H. *Traité de psychiatrie.* Paris: Masson ; 1959.
- Batterham PJ, Ftanou M, Pirkis J, Brewer JL, Mackinnon AJ, Beautrais A, Fairweather-Schmidt AK, Christensen H. A systematic review and evaluation of measures for suicidal ideation and behaviors in population-based research. *Psychol Assess.* 2015; 27 (2): 501-512.
- Bayle ALJ. *Nouvelle doctrine des maladies mentales.* Paris: Chez Gabon et Compagnie, Libraires; 1825.
- Bazigh I, Dharmapuri S, Cosme RM. Transient Subclinical Hypothyroidism and Acute Suicidal Ideation Following Treatment with Escitalopram. *Cureus.* 2019; 11 (7): e5144.
- Bear D, Levin K, Blumer D, Chetham D, Ryder J. Interictal behaviour in hospitalised temporal lobe epileptics: relationship to idiopathic psychiatric syndromes. *J Neurol Neurosurg Psychiatry.* 1982; 45 (6): 481-8.
- Beck AT, Steer RA, Ranieri WF. Scale for suicide ideation: psychometric properties of a self-report version. *J Clin Psychol.* 1988; 44 (4): 499-505.
- Beckson M, Cummings JL. Neuropsychiatric aspects of stroke. *Int J Psychiatry Med.* 1991; 21 (1): 1-15.
- Belsher BE, Smolenski DJ, Pruitt LD, et al. Prediction Models for Suicide Attempts and Deaths: A Systematic Review and Simulation. *JAMA Psychiatry.* 2019; 76 (6): 642-651.
- Belteczki Z, Rihmer Z, Ujvari J. Clinical features of psychotic and non-psychotic bipolar patients. *Neuropsychopharmacol Hung.* 2017; 19 (2): 86-94.
- Benson DF. The Geschwind syndrome. *Adv Neurol.* 1991; 55: 411-21.
- Benson FD, Gorman GD, Hallucinations and Delusional Thinking en Fogel BS, Schiffer RB, Rao SM. *Neuropsychiatry.* Baltimore: Williams & Williams; 1996.

- Bera SC, Sarkar S. Delusion of pregnancy: a systematic review of 84 cases in the literature. *Indian J Psychol Med.* 2015; 37 (2): 131-7.
- Berlucchi G, Marzi CA. Neuropsychology of Consciousness: Some History and a Few New Trends. *Front Psychol.* 2019; 10: 50.
- Bernardo M, Pintor L, Arrufat F, Salva J, Buisan E. Delusion of pregnancy in psychotic depression and ECT response. *Convuls Ther.* 1996; 12 (1): 39-40.
- Bernert RA, Hom MA, Iwata NG, Joiner TE. Objectively Assessed Sleep Variability as an Acute Warning Sign of Suicidal Ideation in a Longitudinal Evaluation of Young Adults at High Suicide Risk. *J Clin Psychiatry.* 2017; 78 (6): e678-87.
- Berrios G.E. The history of mental symptoms. Descriptive psychopathology since the nineteenth century. Cambridge: Cambridge university press; 1996.
- Berrios GE. The history of mental symptoms. 2nd Ed. Cambridge: Cambridge University Press; 2002.
- Berrios GE. "Depressive pseudodementia" or "Melancholic dementia": a 19th century view. *Journal of Neurology, Neurosurgery, and Psychiatry.* 1985; 48: 393-400.
- Berry-Kravis E, Potanos K. Psychopharmacology in fragile X syndrome--present and future. *Ment Retard Dev Disabil Res Rev.* 2004; 10 (1): 42-8.
- Berson RJ. Capgras' syndrome. *Am J Psychiatry.* 1983; 140 (8): 969-78.
- Berthier ML. Cognitive function in the obsessive-compulsive disorder associated with cerebral lesions. *Rev Neurol.* 2000; 30 (8): 769-72.
- Berthier ML, Kulisevsky J, Fernández Benitez JA, Gironell A. Reactivation of posttraumatic stress disorder after minor head injury. *Depress Anxiety.* 1998; 8 (1): 43-7.
- Besharat MA. Factorial and cross-cultural validity of a Farsi version of the Anger Rumination Scale. *Psychol Rep.* 2011; 108 (1): 317-28.
- Betta JC. Manual de psiquiatria. 1ª Ed. Buenos Aires: Editorial Universitaria; 1959.
- Betta JC. Manual de psiquiatria. 1ª Ed. Buenos Aires: CEA; 1981.
- Betta JC. Manual de psiquiatría. 8a Ed. Buenos Aires: Centro Editor Argentino; 1981.
- Bhala RP, O'Donnell J, Thoppil E. Ptophobia. Phobic fear of falling and its clinical management. *Phys Ther.* 1982; 62 (2):187-90.
- Bhatia MS, Gautam RK, Shome S, Bedi GK. Delusional parasitosis with trichotillomania. *J. Indian Med. Assoc.* 1994; 92: 389.
- Bhavsar V, Bhugra D. Religious delusions: Finding meanings in psychosis. *Psychopathology.* 2008; 41: 165-72.
- Bhugra D, Mastrogianni A. Globalisation and mental disorders – overview with relation to depression. *Br. J. Psychiatry.* 2004; 184: 10-20.

- Bijlenga P, Zumofen D, Yilmaz H, Creisson E, de Tribolet N. Orthostatic mesodiencephalic dysfunction after decompressive craniectomy. *J Neurol Neurosurg Psychiatry*. 2007; 78 (4): 430-3.
- Binet A, Simon TH. La Folie Systématisée. *Anée Psychologique*.1910: 210-65.
- Birnbaum K. Psychoses with formation of delusions and paranoid imaginations in the degenerated. Halle: 160; 1908.
- Bissada H, Tasca GA, Barber AM, Bradwejn J. Olanzapine in the treatment of low body weight and obsessive thinking in women with anorexia nervosa: a randomized, double-blind, placebo-controlled trial. *Am J Psychiatry*. 2008; 165 (10): 1281-8.
- Bittel DC, Kibiryeveva N, Butler MG. Expression of 4 genes between chromosome 15 breakpoints 1 and 2 and behavioral outcomes in Prader-Willi syndrome. *Pediatrics*. 2006; 118 (4): e1276-83.
- Blais RK, Monteith LL, Kugler J. Sexual dysfunction is associated with suicidal ideation in female service members and veterans. *J Affect Disord*. 2018; 226: 52-7.
- Bleuler E. Dementia Praecox o el grupo de las esquizofrenias. Buenos Aires: Editorial Polemos; 2011.
- Bleuler E. Tratado de Psiquiatría. Madrid. España: Calpe; 1924.
- Bleuler E. Textbook of Psychiatry. Madrid. New York: The McMillan Company; 1934.
- Blom JD. The delusion of world catastrophe. Is this classic symptom still relevant today? *Tijdschr Psychiatr*. 2015; 57 (10): 730-8.
- Bobińska K, Florkowski A, Smigielski J, Gałeczki P. Psychiatric diagnostic problems of mentally retarded patients. *Pol Merkur Lekarski*. 2009; 27 (160): 318-25.
- Bodnar-Deren S, Klipstein K, Fersh M, Shemesh E, Howell EA. Suicidal Ideation During the Postpartum Period. *J Womens Health (Larchmt)*. 2016; 25 (12): 1219-24.
- Bogosian A, Morgan M, Moss-Morris R. Multiple challenges for people after transitioning to secondary progressive multiple sclerosis: a qualitative study. *BMJ Open*. 2019; 9 (3): e026421.
- Borges G, Bagge CL, Orozco R. A literature review and meta-analyses of cannabis use and suicidality. *J Affect Disord*. 2016; 195: 63-74.
- Bortolotti L. Epistemic Benefits of Elaborated and Systematized Delusions in Schizophrenia. *Br J Philos Sci*. 2016; 67 (3): 879-900.
- Bourée P, Benattar B, Périvier S. Ekbom syndrome or delusional parasitosis. *Rev Prat*. 2007; 57 (6): 585-9.
- Bowler JV, Peatfield RC. Delusions and cyclosporine toxicity. *J Neurol Neurosurg Psychiatry*. 1992; 55 (8): 742-3.

- Braakman MH, Kortmann FA, van den Brink W. Validity of 'post-traumatic stress disorder with secondary psychotic features': a review of the evidence. *Acta Psychiatr Scand.* 2009; 119 (1): 15-24.
- Braden W, Ho CK. Racing thoughts in psychiatric inpatients. *Arch Gen Psychiatry.* 1981; 38 (1): 71-5.
- Braden W, Qualls CB. Racing thoughts in depressed patients. *J Clin Psychiatry.* 1979; 40 (8): 336-9.
- Braun CM, Daigneault R, Gaudet S, Guimond A. Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition symptoms of mania: which one(s) result(s) more often from right than left hemisphere lesions? *Compr Psychiatry.* 2008; 49 (5): 441-59.
- Bräunig P, Sarkar R, Effenberger S, Schoofs N, Krüger S. Gender differences in psychotic bipolar mania. *Gend Med.* 2009; 6 (2): 356-61.
- Brébion G, Amador X, Smith M, Malaspina D, Sharif Z, Gorman JM. Depression, psychomotor retardation, negative symptoms, and memory in schizophrenia. *Neuropsychiatry Neuropsychol Behav Neurol.* 2000; 13 (3): 177-83.
- Breslau N, Davis GC. Refining DSM-III criteria in major depression-an assessment of the descriptive validity of criterion symptoms. *J. Affect. Disord.* 1985; 9: 199-206.
- Brezo J, Paris J, Turecki G. Personality traits as correlates of suicidal ideation, suicide attempts, and suicide completions: a systematic review. *Acta Psychiatrica Scandinavica.* 2006; 113 (3): 180-206.
- Brightman RA. "The Windigo in the Material World". *Ethnohistory.* 1988; 35 (4); 337-9.
- Broome MR, Johns LC, Valli I, Woolley JB, Tabraham P, Brett C, Valmaggia L, Peters E, Garety PA, McGuire PK. 'Delusion Formation and Reasoning Biases in Those at Clinical High Risk for Psychosis' *The British Journal of Psychiatry.* 2007; 191: S38-42.
- Brosig B, Kupfer J, Niemeier V, Gieler U. The "Dorian Gray Syndrome": psychodynamic need for hair growth restorers and other "fountains of youth." *Int J Clin Pharmacol Ther.* 2001; 39 (7): 279-83.
- Brown EN, Lydic R, Schiff ND. General anesthesia, sleep, and coma. *N Engl J Med.* 2010; 363 (27): 2638-50.
- Brown ES, Khan DA, Nejtek VA. The psychiatric side effects of corticosteroids. *Ann Allergy Asthma Immunol.* 1999; 83 (6.1): 495-503.
- Brüggemann BR, Garlipp P. A special coincidence of erotomania and Fregoli syndrome. *Psychopathology.* 2007; 40 (6): 468.
- Bub K, Lommen MJJ. The role of guilt in Posttraumatic Stress Disorder. *Eur J Psychotraumatol.* 2017; 8 (1):1407202.

- Buccola G. Sulle idee fisse e sulle loro condizioni fisiopatologiche. *Rivista sperimentale di freniatria e di medicina legale*. 1880; 6 (1-2): 155-81.
- Buchwald AM, Rudick-Davis D. The symptoms of major depression. *J Abnorm Psychol*. 1993; 102 (2): 197-205.
- Buckley Sharp B. Syphilis of the Central Nervous System. *Postgrad Med J*. 1938; 14 (158): 395-404.
- Buhlmann U, McNally RJ, Wilhelm S, Florin I. Selective processing of emotional information in body dysmorphic disorder. *J Anxiety Disord*. 2002; 16 (3): 289-98.
- Buie DH, Adler G. Definitive treatment of the borderline personality. *Int J Psychoanal Psychother*. 1982-1983; 9: 51-87.
- Buji RI, Abdul Murad NA, Chan LF, Maniam T, Mohd Shahrir MS, Rozita M, Shamsul AS, Mohamad Hussain R, Abdullah N, Jamal R, Nik Jaafar NR. Suicidal ideation in systemic lupus erythematosus: NR2A gene polymorphism, clinical and psychosocial factors. *Lupus*. 2018; 27 (5): 744-52.
- Bumke O. Nuevo tratado de enfermedades mentales. Barcelona: Fseix Editor; 1946.
- Burgetova A, Seidl Z, Vaneckova M, Jakoubkova M. Concurrent occurrence of multiple sclerosis and primary CNS lymphoma: a case report. *Neuro Endocrinol Lett*. 2008; 29 (6): 867-70.
- Bürgy M. Obsessive compulsive disorder and schizophrenia. An attempt at psychopathologic differentiation by focusing on the single phenomenon of obsession. *Nervenarzt*. 2005; 76 (11): 1370-5.
- Butler RW, Mueser KT, Sprock J, Braff DL. Positive symptoms of psychosis in posttraumatic stress disorder. *Biol Psychiatry*. 1996; 39 (10): 839-44.
- Bychowski G. Disorders of the body image in the clinical picture of the psychosis. *J Nerv Ment Dis*. 1943, 37, 310-35.
- Cabaleiro Goas M. Temas Psiquiátricos. Algunas Cuestiones Psicopatológicas Generales. Madrid: Editorial Paz Montalvo; 1966.
- Calil LC, Terra JR. Síndrome de De Clerambault: uma revisão bibliográfica. *Rev Bras Psiquiatr*. 2005; 27 (2): 152-6.
- Cameron N. Schizophrenic thinking in a problem- solving situation. *Journal of Mental Science*. 1939; 85: 1012-35.
- Campbell CM, Edwards RR. Mind-body interactions in pain: the neurophysiology of anxious and catastrophic pain-related thoughts. *Transl Res*. 2009; 153 (3): 97-101.
- Campbell RJ. Psychiatric dictionary, 7th ed. New York: Oxford University Press; 1996.
- Canagasabay B, Katona CL. Capgras syndrome in association with lithium toxicity. *Br J Psychiatry*. 1991; 159: 879-81.

- Cangemi CF Jr, Miller RJ. Huntington's disease: review and anesthetic case management. *Anesth Prog.* 1998; 45 (4):150-3.
- Cannizzaro MS, Cohen H, Rappard F, Snyder PJ. Bradyphrenia and bradykinesia both contribute to altered speech in schizophrenia: a quantitative acoustic study. *Cogn Behav Neurol.* 2005; 18 (4): 206-10.
- Caplan R, Guthrie D, Shields WD, Mori L. Formal thought disorder in pediatric complex partial seizure disorder. *J Child Psychol Psychiatry.* 1992; 33 (8): 1399-412.
- Caplan R, Perdue S, Tanguay PE, Fish B. Formal thought disorder in childhood onset schizophrenia and schizotypal personality disorder. *J Child Psychol Psychiatry.* 1990; 31 (7): 1103-14.
- Capponi RM. Psicopatología y semiología psiquiátrica. Santiago de Chile: Editorial Universitaria; 1987.
- Capgras J, Reboul-Lachaux J. L'illusion des 'sosies' dans un délire systématisé chronique. *Bull. Soc. Clinique de Médecine Mentale.* 1923; 11: 6-16.
- Carod FJ, Vázquez-Cabrera C. Magical thinking and epilepsy in traditional indigenous medicine. *Rev Neurol.* 1998; 26 (154): 1064-8.
- Carota A, Dieguez S, Bogousslavsky J. Psychopathology of stroke. *Psychol Neuropsychiatr Vieil.* 2005; 3 (4): 235-49.
- Carney CE, Harris AL, Moss TG, Edinger JD. Distinguishing rumination from worry in clinical insomnia. *Behav Res Ther.* 2010; 48 (6): 540-6.
- Carragher N, Mewton L, Slade T, Teesson M. An item response analysis of the DSM-IV criteria for major depression: findings from the Australian National Survey of Mental Health and Wellbeing. *J. Affect. Disord.* 2011; 130: 92-8.
- Caselli G, Ferretti C, Leoni M, Rebecchi D, Rovetto F, Spada MM. Rumination as a predictor of drinking behaviour in alcohol abusers: a prospective study. *Addiction.* 2010; 105 (6): 1041-8.
- Casey P, Kelly B. Fish's Clinical Psychopathology. Signs and symptoms in psychiatry. 3rd Ed. London: Gaskell; 2007.
- Casper JL. *Traité Pratique de Médecine Légale.* Paris: Balthère; 1862.
- Cassidy F, Forest K, Murry E, Carroll BJ. A factor analysis of the signs and symptoms of mania. *Arch Gen Psychiatry.* 1998; 55 (1): 27-32.
- Cassidy F, Murry E, Forest K, Carroll BJ. The performance of DSM-III-R major depression criteria in the diagnosis of bipolar mixed states. *J Affect Disord.* 1997; 46 (1): 79-81.
- Castagnini A. 'Paranoia and its historical development (systematized delusion)', by Eugenio Tanzi (1884). *Hist Psychiatry.* 2016; 27 (2): 229-40.
- Castillo PM, Berman CW. Delusional gross replacement of inanimate objects. *Br J*

- Psychiatry*. 1994; 164 (5): 693-6.
- CDC (Cent. Dis. Control Prev.). 2015. Definitions: Self-Directed Violence. Atlanta, GA: CDC. <http://www.cdc.gov/violenceprevention/suicide/definitions.html>
- Cermolacce M, Sass L, Parnas J. What is bizarre in bizarre delusions? A critical review. *Schizophr Bull*. 2010; 36 (4): 667-79.
- Cešková E, Příkryl R, Kašpárek T, Kučcerová H. Insight in first-episode schizophrenia. *Int J Psychiatry Clin Pract*. 2008; 12 (1): 36-40.
- Chabrol H, Chouicha K, Montovany A, Callahan S. Symptoms of DSM IV borderline personality disorder in a nonclinical population of adolescents: study of a series of 35 patients. *Encephale*. 2001; 27 (2): 120-7.
- Chamorro Fernández AJ, Marcos Martín M, Laso Guzmán FJ. Wernicke encephalopathy in alcoholic patients. *Rev Clin Esp*. 2011; 211 (9): 458-63.
- Chandra Bera S, Sarkar S. Delusion of Pregnancy: A Systematic Review of 84 Cases in the Literature. *Indian J Psychol Med*. 2015; 37 (2): 131-7.
- Chaslin P. *Éléments de sémiologie et Clinique mentales*. Paris: Asselin et Houzeau ; 1912.
- Chaslin P. *Elementos de semiología y clínica mentales*. Buenos Aires: Polemos; 2010.
- Chaturvedi SK. Delusions of pregnancy in men. *British Journal of Psychiatry*. 1989; 154; 716-8.
- Chávez-Valencia V, Soto-Cabrera E. Acute bilateral thalamic infarcts in a young man with patent foramen ovale. *Gac Med Mex*. 2010; 146 (1): 55-8.
- Chawla HM, Virmani V. Capgras phenomenon in a case of temporal lobe epilepsy. *Folia Psychiatr Neurol Jpn*. 1977; 31: 615-7.
- Chawla JM, Sagar R. Baclofen-induced psychosis. *Ann Pharmacother*. 2006; 40 (11): 2071-3.
- Chemali Z, Bromfield E. Tourette's syndrome following temporal lobectomy for seizure control. *Epilepsy Behav*. 2003; 4 (5): 564-6.
- Chen EY, Lam LC, Chan CK, Kwok CL, Nguyen DG, Chen RY. Language Disorganisation in Schizophrenia: validation and Assessment with a New Clinical Rating Instrument. *Hong Kong Journal of Psychiatry*. 1996; 6: 4-13.
- Chen G, Gueta K. Lifetime history of suicidal ideation and attempts among incarcerated women in israel. *Psychol Trauma*. 2017; 9 (5): 596-604.
- Chen, W. H., Chui, C., & Yin, H. L. (2012). The antemortem neurobehavior in fatal paramethoxymethamphetamine usage. *Substance abuse*, 33(4), 366–372. <https://doi.org/10.1080/08897077.2011.638736>
- Cheung MY, Shahed J, Jankovic J. Malignant Tourette syndrome. *Mov Disord*. 2007; 22 (12): 1743-50.

- Chhabra S, Fielding D. The treatment of scriptophobia by in vivo exposure and cognitive restructuring. *J Behav Ther Exp Psychiatry*. 1985; 16 (3): 265-9.
- Chokroverty S, Bruetman ME, Berger V, Reyes, MG. Progressive dialytic encephalopathy. *J Neurol Neurosurg Psychiatry*. 1976; 39 (5): 411-9.
- Christensen AP, Board BJ, Oei TP. A psychosocial profile of women with premenstrual dysphoria. *J Affect Disord*. 1992; 25 (4): 251-9.
- Christodoulou GN, Malliara-Loulakaki S: Delusional misidentification syndromes and cerebral 'dysrhythmia'. *Psychiatr Clin (Basel)*. 1981; 14: 245-51.
- Christodoulou GN, Margariti MM, Malliaras DE, Alevizou S. Shared delusions of doubles. *J Neurol Neurosurg Psychiatry*. 1995; 58 (4): 499-501.
- Chuiton EC. Delire raisonnant de depossession. Au point de vue clinique et medico-legal. Bordeaux: Imprimerie du midi Paul cassagnol; 1897.
- Chung B. Muscle dysmorphia: a critical review of the proposed criteria. *Perspect Biol Med*. 2001; 44 (4): 565-74.
- Chung JH, Han CH, Park SC, Kim CJ. Suicidal ideation and suicide attempts in chronic obstructive pulmonary disease: the Korea National Health and Nutrition Examination Survey (KNHANES IV, V) from 2007-2012. *NPJ Prim Care Respir Med*. 2014; 24: 14094.
- Cia AH. Trastorno Obsesivo-Compulsiva. Manual de diagnóstico, terapeutico y de autoayuda. Buenos Aires: Roche; 2009.
- Cipriani G, Di Fiorino M. Delusion of pregnancy: an unusual symptom in the context of dementia. *Am J Alzheimers Dis Other Demen*. 2015; 30 (4): 341-5.
- Clarke DJ, Boer H, Whittington J, Holland A, Butler J, Webb T. Prader-Willi syndrome, compulsive and ritualistic behaviours: the first population-based survey. *Br J Psychiatry*. 2002; 180: 358-62.
- Clerambault GG. Automatismo Mental Paranoia. Buenos Aires: Ed. Polemos; 1995.
- Cocores JA, Patel MD, Gold MS, Pottash AC. Cocaine abuse, attention deficit disorder, and bipolar disorder. *J Nerv Ment Dis*. 1987; 175 (7): 431-2.
- Cohen AJ. Thyroid dysfunction and false pregnancy. *West J Med*. 1992; 156 (1): 89.
- Cohen LH. Speech Perseveration and Astasia-Abasia following Carbon Monoxide Intoxication. *J Neurol Psychopathol*. 1936; 17 (65): 41-7.
- Coleman E, Cesnik J. Skoptic syndrome: the treatment of an obsessional gender dysphoria with lithium carbonate and psychotherapy. *Am J Psychother*. 1990; 44 (2): 204-17.
- Collins MN, Hawthorne M. Capgras' syndrome with organic disorders. *Postgrad Med J*. 1990; 66: 1064-7.
- Coltheart M, Langdon R, McKay R. Delusional belief. *Annu Rev Psychol*. 2011; 62:

271-98.

- Compton MT. Internet delusions. *South Med J*. 2003; 96 (1): 61-3.
- Conrad K. La Esquizofrenia Incipiente. Intento de un Analisis de la Forma del Delirio. Ávila: Editorial Alhambra S.A; 1963.
- Cook CCH. Religious psychopathology: The prevalence of religious content of delusions and hallucinations in mental disorder. *Int J Soc Psychiatry*. 2015; 61 (4): 404-25.
- Corruble E, Chouinard VA, Letierce A, Gorwood PA, Chouinard G. Is DSM-IV bereavement exclusion for major depressive episode relevant to severity and pattern of symptoms? A case-control, cross-sectional study. *J. Clin. Psychiatry*. 2009; 70: 1091-7.
- Costa, A. P., Steffgen, G., & Samson, A. C. (2017). Expressive Incoherence and Alexithymia in Autism Spectrum Disorder. *Journal of autism and developmental disorders*, 47(6), 1659–1672. <https://doi.org/10.1007/s10803-017-3073-9>
- Costal AL, Chaves EC. Stress coping strategies and depressive symptoms among ulcerative colitis patients. *Rev Esc Enferm USP*. 2006; 40 (4): 507-14.
- Cota E, Lentz J. Gland New Psychosis: New Onset Adult Psychosis with Suicidal Ideation and Attempt in the Setting of Thyroid Storm. *Case Rep Psychiatry*. 2017; 2017: 7402923.
- Cotard J. Nihilistic Delusions. En Hirsch SR, Shepherd M. Themes and Variations in European Psychiatry. Charlottesville: The University Press of Virginia; 1974.
- Courbon P, Fail G. *Syndrome d'illusion de Frégoli et schizophrénie*. Bull. Soc. clin. méd. ment. 1927; (5-7):121-5.
- Courbon P, Tusques J. Illusions d'intermétamorphose et de charme. Illusions of intermetamorphosis and of magic spell. *Annales Médico-Psychologiques*. 1932; 90: 4.
- Cowdrey FA, Park RJ. Assessing rumination in eating disorders: principal component analysis of a minimally modified ruminative response scale. *Eat Behav*. 2011; 12 (4): 321-4.
- Crawford, A., Tripp, D. A., Nickel, J. C., Carr, L., Moldwin, R., Katz, L., & Muere, A. (2019). Depression and helplessness impact interstitial cystitis/bladder pain syndrome pain over time. *Canadian Urological Association journal = Journal de l'Association des urologues du Canada*, 13(10), 328–333.
- Crider A. Perseveration in schizophrenia. *Schizophr Bull*. 1997; 23 (1): 63-74.
- Critchley EMR. Auditory experiences of deaf schizophrenics. *J Roy Soc Med*. 1983; 76: 542-4.
- Crone C, Kwok C, Chau V, Norberg MM. Applying attachment theory to indecisiveness in hoarding disorder. *Psychiatry Res*. 2019; 273: 318-24.

- Crowe RR, Clarkson C, Tsai M, Wilson R. Delusional disorder: jealous and nonjealous types. *Eur Arch Psychiatry Neurol Sci.* 1988; 237 (3): 179-83.
- Cuesta MJ, Peralta V. Does formal thought disorder differ among patients with schizophrenic, schizophreniform and manic schizoaffective disorders? *Schizophr Res.* 1993; 10 (2): 151-8.
- Cuesta MJ, Peralta V. Testing the hypothesis that formal thought disorders are severe mood disorders. *Schizophr Bull.* 2011; 37 (6): 1136-46.
- Cullerre A. Une forme de délire systématisé des persécutés-persécuteurs, le délire de revendication. *AMP.* 1897; 5: 353-68.
- Cummings JL. Organic delusions: phenomenology, anatomical correlations, and review. *Br J Psychiatry.* 1995; 146: 184-97.
- Cummings JL, Barritt CF, Horan M. Delusions induced by procaine penicillin: case report and review of the syndrome. *Int J Psychiatry Med.* 1986-1987; 16 (2):163-8.
- Curran JS, Pugh RE. Delusions of pregnancy and delivery in elderly women. *Int J Geriatr Psychiatry.* 1995; 10: 1075-6.
- D'Orbán PT. Baby stealing. *Br Med J.* 1972; 2 (5814): 635-9.
- Dager SR, Heritch AJ. A case of bupropion-associated delirium. *J Clin Psychiatry.* 1990; 51 (7): 307-8.
- Daniel E, Srinivasan TN. Folie a Famille: delusional parasitosis affecting all the members of a family. *Indian J Dermatol Venereol Leprol.* 2004; 70 (5): 296-7.
- Daray FM, Goldmann E, Gutierrez L, Ponzo J, Lanas F, Mores N, Calandrelli M, Poggio R, Watkins BX, Irazola V. Suicidal ideation is associated with cardiovascular disease in a large, urban cohort of adults in the Southern Cone of Latin America. *Gen Hosp Psychiatry.* 2019; 57: 34-40.
- Darvishi N, Farhadi M, Haghtalab T, Poorolajal J. Alcohol-related risk of suicidal ideation, suicide attempt, and completed suicide: a meta-analysis. *PLoS One.* 2015; 10 (5): e0126870.
- Davidson M, Mukherjee S. Progression of olfactory reference syndrome to mania: a case report. *Am J Psychiatry.* 1982; 139: 1623-4.
- Day DS, Saunders JJ, Matorin A. Gender Dysphoria and Suicidal Ideation: Clinical Observations from a Psychiatric Emergency Service. *Cureus.* 2019; 11 (11): e6132.
- de Clerambault G. Automatismo Mental. Paranoia. Buenos Aires: Polemos; 1995.
- de Clerambault G, Brousseau A Coexistence de deux delires: persecution et erotomanie (presentation de malade). *Bull Soc Clin Med Ment.* 1920; 8: 238-50.
- de Portugal E, González N, Miriam V, Haro JM, Usall J, Cervilla JA. Gender differences in delusional disorder: evidence from an outpatient sample.

- Psychiatry Research*. 2010; 177 (1-2): 235-239.
- DeBeer BB, Kimbrel NA, Mendoza C, Davidson D, Meyer EC, La Bash H, Gulliver SB, Morissette SB. Traumatic Brain Injury, Sleep Quality, and Suicidal Ideation in Iraq/Afghanistan Era Veterans. *J Nerv Ment Dis*. 2017; 205 (7): 512-6.
- Defries Z, Grothe L. High academic achievement in psychotic students. *Am J Psychiatry*. 1978; 135 (2): 217-9.
- Dejode JM, Antonini F, Lagier P, Martin C. Capgras syndrome: a clinical manifestation of watershed cerebral infarct complicating the use of extracorporeal membrane oxygenation. *Critical Care*. 2001; 5: 232-5.
- DeKosky ST, Orgogozo JM. Alzheimer disease: diagnosis, costs, and dimensions of treatment. *Alzheimer Dis Assoc Disord*. 2001; 15 Supl 1: S3-7.
- Delaporte C. Personality patterns in patients with myotonic dystrophy. *Arch Neurol*. 1998; 55 (5): 635-40.
- Della Bella LA. Steroidphobia and the pulmonary patient. *Am J Nurs*. 1992; 92 (2): 26-9.
- Descartes R. Passions of the Soul, versión presentada en www.earlymoderntexts.com
- Destee A, Gray F, Parent M, Neuville V, Muller JP, Verier A, Warot P. Obsessive-compulsive behavior and progressive supranuclear palsy. *Rev Neurol (Paris)*. 1990; 146 (1): 12-18.
- Diamond DL. Medical care of the mentally retarded. *Pediatr Ann*. 1982; 11 (5): 445-9.
- Díaz Mársá M, Carrasco JL, Hollander E. Body dysmorphic disorder as an obsessive-compulsive spectrum disorder. *Actas Luso Esp Neurol Psiquiatr Cienc Afines*. 1996; 24 (6): 331-7.
- Diener MB, Milich R. Effects of positive feedback on the social interactions of boys with attention deficit hyperactivity disorder: a test of the self-protective hypothesis. *J Clin Child Psychol*. 1997; 26 (3): 256-65.
- Diez P. Psychopathology of delusional interpretation. *A. Rev. Asoc. Esp. Neuropsiq*. 2003; 87: 85-100.
- Dillon KH, Van Voorhees EE, Elbogen EB. Associations between anger and suicidal ideation and attempts: A prospective study using the National Epidemiologic Survey on Alcohol and Related Conditions. *J Psychiatr Res*. 2019; 122: 17-21.
- Doering BK, Barke A, Friehs T, Eisma MC. Assessment of grief-related rumination: validation of the German version of the Utrecht Grief Rumination Scale (UGRS). *BMC Psychiatry*. 2018; 18 (1): 43.
- Dosuzkov T. Scopophobia in male and female patients. *Psyche*. 1979; 33 (7): 620-33.
- Doughty OJ, Lawrence VA, Al-Mousawi A, Ashaye K, Done DJ. Overinclusive thought and loosening of associations are not unique to schizophrenia and are produced in Alzheimer's dementia. *Cogn Neuropsychiatry*. 2009; 14 (3): 149-164.

- Doyle H, Kargin M. Herbal stimulant containing ephedrine has also caused psychosis. *BMJ*. 1996; 8 (312): 1441.
- Dromard G. Étude clinique sur la stéréotypie des déments précoces. *Arch Neurol*. 1905; 12 (2): 189-225.
- Druss B, Pincus H. Suicidal Ideation and Suicide Attempts in General Medical Illnesses. *Archives of Internal Medicine*. 2000; 160 (10), 1522.
- Duchêne A, Graves RE, Brugger P. Schizotypal thinking and associative processing: a response commonality analysis of verbal fluency. *J Psychiatry Neurosci*. 1998; 23 (1): 56-60.
- Durand C, Mary S, Brazo P, Dollfus S. Psychiatric manifestations of vitamin B12 deficiency: a case report. *Encephale*. 2003; 29 (6): 560-5.
- Dutta S, Vankar GK. Delusions of pregnancy - a report of four cases. *Indian J Psychiatry*. 1996; 38 (4): 254-6.
- Echeburúa E, Bravo de Medina R, Aizpiri J. Personality variables, psychopathological alterations and personality disorders in alcohol-dependent patients according to Cloninger's typology of alcohol abuse. *Psicothema*. 2008; 20 (4): 525-30.
- Eddy LD, Eadeh HM, Breaux R, Langberg JM. Prevalence and predictors of suicidal ideation, plan, and attempts, in first-year college students with ADHD. *J Am Coll Health*. 2019; 7: 1-7.
- Edell WS. The Borderline Syndrome Index. Clinical validity and utility. *J Nerv Ment Dis*. 1984; 172 (5): 254-63.
- Edelstyn NM, Oyebode F, Barrett K. The Delusions of Capgras and Intermetamorphosis in a Patient with Right-Hemisphere White-Matter Pathology. *Psychopathology* 2001; 34: 299-304.
- Efremova MD. Obsessive-phobic disorders with the phenomena of mysophobia in slowly progressing schizophrenia. *Zh Nevrol Psikhiatr Im S S Korsakova*. 2001; 101 (2): 12-7.
- Eguiluz I, Segarra R. Introducción a la Psicopatología. Barcelona: Ars Medica; 2005.
- Ehlers A, Mayou RA, Bryant B. Cognitive predictors of posttraumatic stress disorder in children: results of a prospective longitudinal study. *Behav Res Ther*. 2003; 41 (1): 1-10.
- Ehring T, Szeimies AK, Schaffrick C. An experimental analogue study into the role of abstract thinking in trauma-related rumination. *Behav Res Ther*. 2009; 47 (4): 285-93.
- Eisen JL, Beer DA, Pato MT, Venditto TA, Rasmussen SA. Obsessive-compulsive disorder in patients with schizophrenia or schizoaffective disorder. *Am J Psychiatry*. 1997; 154 (2): 271-3.

- Eisen JL, Phillips KA, Baer L, Beer DA, Atala KD, Rasmussen SA. The Brown Assessment of Beliefs Scale: Reliability and Validity. *Am J Psychiatry*. 1992; 155: 102-8.
- Eisen JL, Rasmussen SA. Coexisting obsessive compulsive disorder and alcoholism. *J Clin Psychiatry*. 1989; 50 (3): 96-8.
- Ekbom. K.A. Der praesenile dermatozoenwahn. *Acta Psych et Neur*. 1938. 13: 227-59.
- El Abd S, Patton MA, Turk J, Hoey H, Howlin P. Social, communicational, and behavioral deficits associated with ring X turner syndrome. *Am J Med Genet*. 1999; 88 (5): 510-6.
- El Ouazzani B, El Hamaoui Y, Idrissi-Khamlichi N, Moussaoui D. Recurrent pseudocyesis with polydipsia: a case report. *Encephale*. 2008; 34 (4): 416-8.
- Ellis HD et al. Reduced autonomic responses to faces in Capgras delusión. *Proc. R. Soc. Lond. B*. 1997; 264: 1085-92.
- Engel PA, Grunnet M. Atypical dementia and spastic paraplegia in a patient with primary lateral sclerosis and numerous necortical beta amyloid plaques: new disorder or Alzheimer's disease variant? *J Geriatr Psychiatry Neurol*. 2000; 13 (2): 60-4.
- Enoch D. Ball H. Uncommon psychiatric syndromes. 4th ed. North Yorkshire: Arnold; 2001.
- Eppinga, H., Smook, S. P., Jiawan, C. R., Bosma, I., & van Zelst, W. H. (2019). Acute neuropsychiatrie: verwarring bij patiënt en specialist [Acute neuropsychiatry: a confused patient and a puzzled doctor]. *Nederlands tijdschrift voor geneeskunde*, 163, D4024.
- Escandon A, Al-Hammadi N, Galvin JE. Effect of cognitive fluctuation on neuropsychological performance in aging and dementia. *Neurology*. 2010; 74 (3): 210-7.
- Ey H. Estudios sobre los delirios. Madrid: Editorial Paz Montalvo; 1959
- Ey. Etudes psychiatriques 2e Ed. Paris: Desclee de Brouwer & cie; 1952.
- Ey H. Hallucinations et délire. Les formes hallucinatoires de l'automatisme verbal. Paris: L'harmattan; 1999.
- Ey H, Bernard P, Brisset Ch. Tratado de Psiquiatría. Barcelona: Toray-Masson; 1969.
- Faber R, Reichstein MB. Language dysfunction in schizophrenia. *Br J Psychiatry*. 1981; 139: 519-22.
- Fahy TA. Lycanthropy: a review. *J Royal Soc Med*. 1989; 82: 37-9.
- Fallon BA, Qureshi AI, Laje G, Klein B. Hypochondriasis and its relationship to obsessive-compulsive disorder. *Psychiatr Clin North Am*. 2000; 23 (3): 605-16.
- Falret JP. Des Maladies Mentales Et Des Asiles D'Aliénés. Leçons Cliniques &

- Considérations Générales. Paris: J.B. Baillièrre et Fils; 1864.
- Farcy L, Fillet G, Couvreur V, Triffaux JM. Anemia by self-injury: the Lasthenie de Ferjol syndrome. *Rev Med Liege*. 2005; 60 (9): 719-23.
- Feigelman W, Gorman BS, Jordan JR. Stigmatization and Suicide Bereavement. *Death Stud*. 2009; 33: 591-608.
- Fénelon G, Soulas T, Cleret de Langavant L, Trinkler I, Bachoud-Lévi AC. Feeling of presence in Parkinson's disease. *J Neurol Neurosurg Psychiatry*. 2011; 82 (11): 1219-24.
- Fenigstein A, Vanable PA. Paranoia and self-consciousness. *J Pers Soc Psychol*. 1992; 62 (1): 129-38.
- Ferracuti S, Sacco R, Lazzari R. Dissociative trance disorder: clinical and Rorschach findings in ten persons reporting demon possession and treated by exorcism. *J Pers Assess*. 1996; 66 (3): 525-39.
- Ferreri M, Godefroy M, Mirabel V, Alby J.M. Dysmorphophobias. *Encyclopedie Medica-chirurgicale*. Paris: 1990; 37146^a.2-5
- Fierro M. Delirios. Como entenderlos. Bogotá: Editorial Kimpres Ltda; 2013.
- Filer AD, Brockington IF. Maternal obsessions of child sexual abuse. *Psychopathology*. 1996; 29 (2): 135-8.
- Finkelstein E, Amichai B, Halevy S. Paranoid delusions caused by ketoconazole. *Int J Dermatol*. 1996; 35 (1): 75.
- Fish FJ. Schizophrenia. Baltimore: The Williams and Wilkins Company; 1962.
- Fishbain DA. Three thousand days of pregnancy. *Br J Psychiatry*. 1991; 159: 445-6.
- Fisher AA, Davis M, Jeffery I. Acute delirium induced by metoprolol. *Cardiovasc Drugs Ther*. 2002; 16 (2): 161-5.
- Fischer M, Barkley RA, Smallish L, Fletcher K. Executive functioning in hyperactive children as young adults: attention, inhibition, response perseveration, and the impact of comorbidity. *Dev Neuropsychol*. 2005; 27 (1): 107-33.
- Flanagan E, Walsh C, Tubridy N. 'Neurophobia'--attitudes of medical students and doctors in Ireland to neurological teaching. *Eur J Neurol*. 2007; 14 (10): 1109-12.
- Fleury V, Wayte J, Kiley M. Topiramate-induced delusional parasitosis. *J Clin Neurosci*. 2008; 15 (5): 597-9.
- Flowers KA, Robertson C. The effect of Parkinson's disease on the ability to maintain a mental set. *J Neurol Neurosurg Psychiatry*. 1985; 48 (6): 517-29.
- Fogel BS, Schiffer RB, Rao SM. Neuropsychiatry. Baltimore: Williams & Wilkins; 1996.
- Forgácová L. Delusion assessment scales. *Neuropsychopharmacol Hung*. 2008; 10 (1):

23-30.

- Fortugno F, Katsakou C, Bremner S, Kiejna A, Kjellin L, Nawka P, Raboch J, Kallert T, Priebe S. Symptoms associated with victimization in patients with schizophrenia and related disorders. *PLoS One*. 2013; 8 (3): e58142.
- Foster R, Olajide D, Everall IP. Antiretroviral therapy-induced psychosis: case report and brief review of the literature. *HIV Med*. 2003; 4 (2): 139-44.
- Fotheringham JB, Thompson F. Case report of a person with Down's syndrome and multiple personality disorder. *Can J Psychiatry*. 1994; 39 (2): 116-9.
- Foulds GA, Bedford, A. Editorial: Classification of depressive illness: A re-evaluation. *Psychol Med*. 1976; 6: 15-9.
- Foville A. Etude clinique de la folie avec prédominance du délire des grandeurs. Mémoires de l'académie de médecine. Paris: Bailière; 1871.
- Foville A. Memoire à l'Académie de Médecine. Paris: JB-Bailliere; 1871.
- Franken IH, Kroon LY, Hendriks VM. Influence of individual differences in craving and obsessive cocaine thoughts on attentional processes in cocaine abuse patients. *Addict Behav*. 2000; 25 (1): 99-102.
- Franken IHA, van Strien JW, Nijis I, Murus P. Impulsivity is associated with behavioral decision-making deficits. *Psychiatry Research*. 2008; 158: 155-63.
- Franzek E. Influence of Carl Wernicke on Karl Leonhard's nosology. *Psychopathology*. 1990; 23: 277-81.
- Freedman AM, Kaplan HI, Saddock BJ. Comprehensive Textbook on Psychiatry II. Baltimore: Williams & Wilkins; 1975.
- Freedman R, Schwab PJ. Paranoid symptoms in patients on a general hospital psychiatric unit. Implications for diagnosis and treatment. *Arch Gen Psychiatry*. 1978; 35 (3): 387-90.
- Freeman D, Bentall R, Garety P. Persecutory delusions. Assessment, theory, and treatment. Oxford: Oxford University Press; 2008.
- Freeman D, Garety PA. Comments on the content of persecutory delusions: does the definition need clarification? *Br J Clin Psychol*. 2000; 39 (4): 407-14.
- Freeman D, Garety P. Paranoia. The psychology of persecutory delusions: New York. Psychology Press; 2004.
- Freeman D, Garety P A, Fowler D, Kuipers E, Bebbington P E, Dunn G. 'Why Do People with Delusions Fail to Choose More Realistic Explanations for Their Experiences? An Empirical Investigation'. *Journal of Consulting and Clinical Psychology*. 2004; 72: 671-80.
- Freeman D, Pugh K, Green C, Valmaggia L, Dunn G, Garety P. A measure of state persecutory ideation for experimental studies. *J Nerv Ment Dis*. 2007; 195 (9): 781-4.

- Freeman T, Gathercole CE. Perseveration the clinical symptoms in chronic schizophrenia and organic dementia. *Br J Psychiatry*. 1966; 112 (482): 27-32.
- Freudenmann RW. A case of delusional parasitosis in severe heart failure. Olanzapine within the framework of a multimodal therapy. *Nervenarzt*. 2003; 74 (7): 591-5.
- Freudenmann RW, Lepping P. Delusional Infestation. *Clin Microbiol Rev*. 2009; 22 (4): 690–732.
- Friedman I, Dar R, Shilony E. Compulsivity and obsessionality in opioid addiction. *J Nerv Ment Dis*. 2000; 188 (3): 155-62.
- Frolov YP. La actividad cerebral. Buenos Aires: Editorial Psiqué; 1961.
- Frost RO, Shows RL. The nature and measurement of compulsive indecisiveness. *Behav. Res. Ther*. 1993; 31: 683-92.
- Fu KW, Yip PS. Long-term impact of celebrity suicide on suicidal ideation: results from a population-based study. *J Epidemiol Community Health*. 2007; 61 (6): 540-6.
- Fujimori H, Nakatani Y, Sakaguchi M. The clinical course of chronic methamphetamine psychoses. *Fortschr Neurol Psychiatr*. 1989; 57 (9): 383-94.
- Fukatsu R, Fujii T, Yamadori A, Nagasawa H, Sakurai Y. Persisting childish behavior after bilateral thalamic infarcts. *Eur Neurol*. 1997; 37 (4): 230-5.
- Funayama, M., Koreki, A., Muramatsu, T., Mimura, M., Kato, M., & Abe, T. (2019). Impairment in judgement of the moral emotion guilt following orbitofrontal cortex damage. *Journal of neuropsychology*, 13(3), 550–563.
- Furukawa F, Bourgeois M. Delusions of possession by the fox in Japan (or Kitsune-Tsuki delusion). *Ann Med Psychol (Paris)*. 1984; 142 (5): 677-87.
- Gabison-Hermann D, Pelletier A, Taleb M, Bouleau JH. The case of temporal lobes dysfunction in atypical psychiatric episodes. *Encephale*. 2009; 35 (5): 491-5.
- Gaddal Y. De Clerambault's syndrome (erotomania) in organic delusional syndrome. *Br J Psychiatry*. 1987; 151: 853-5.
- Gaines AD. Culture-specific delusions en Sedler MJ. Delusional disorders. The psychiatric clinics of north america. Philadelphia: WB Saunders company; 1995.
- Gairing S, Wiest R, Metzler S, Theodoridou A, Hoff P. Fabry's disease and psychosis: causality or coincidence? *Psychopathology*. 2011; 44 (3): 201-4.
- Galfin JM, Watkins ER, Harlow T. Psychological distress and rumination in palliative care patients and their caregivers. *J Palliat Med*. 2010; 13 (11): 1345-8.
- Gallagher S. 'Delusional Realities' en: Broome M R, Bortolotti L. Psychiatry as Cognitive Neuroscience: Philosophical Perspectives. Oxford: Oxford University Press; 2009.
- Garibi Pérez A, Torres Imaz F, Mingote Adán C. Epilepsy and psychiatry. *Aten Primaria*. 2000; 26 (10): 703-10.

- Garner J. Reduplication phenomena: body, mind and archetype. *Br J Med Psychol.* 2000; 73 (3): 339-53.
- Gaszner P, Ban TA. CODE-HD. Composite Diagnostic Evaluation of Hyperthymic Disorders. Budapest: Animula; 1998.
- Geiselmann B, Bauer M. Subthreshold depression in the elderly: qualitative or quantitative distinction? *Compr Psychiatry.* 2000; 41 (2 S1): 32-8.
- Gelaye B, Kajeepeta S, Williams MA. Suicidal ideation in pregnancy: an epidemiologic review. *Arch Womens Ment Health.* 2016; 19 (5): 741-51.
- Gentile S. Suicidal mothers. *J Inj Violence Res.* 2011; 3: 90-7.
- Germeijs V, De Boeck P. A measurement scale for indecisiveness and its relationship to career indecision and other types of indecision. *European Journal of Psychological Assessment.* 2002; 18: 113-22.
- Ghaziuddin M, Leininger L, Tsai L. Brief report: thought disorder in Asperger syndrome: comparison with high-functioning autism. *J Autism Dev Disord.* 1995; 25 (3): 311-7.
- Gigi A, Pirrotta R, Kelley-Puskas M, Lazignac C, Damsa C. Behavior disturbances in emergency psychiatry or fronto-temporal dementia diagnosis? A challenge for psychiatrists. *Encephale.* 2006; 32 (5): 775-80.
- Gilleen J, David AS. 'The Cognitive Neuropsychiatry of Delusions: From Psychopathology to Neuropsychology and Back Again'. *Psychological Medicine.* 2005; 35: 5-12.
- Gladis MM, Levinson DF, Mowry BJ. Delusions in Schizophrenia spectrum disorders: Diagnostic Issues. *Schizophr Bull.* 1994; 20 (4): 747-54.
- Glick OJ. Normal thought processes. An overview. *Nurs Clin North Am.* 1993; 28 (4): 715-27.
- Goel NJ, Sadeh-Sharvit S, Flatt RE, Trockel M, Balantekin KN, Fitzsimmons-Craft EE, Monterubio GE, Firebaugh ML, Jacobi C, Wilfley DE, Taylor CB. Correlates of suicidal ideation in college women with eating disorders. *Int J Eat Disord.* 2018; 51 (6): 579-84.
- Gold J, Gold I. The "Truman Show" delusion: psychosis in the global village. *Cogn Neuropsychiatry.* 2012; 17 (6): 455-72.
- Goldblatt MJ, Ronningstam E, Schechter M, Herbstman B, Maltzberger JT. Suicide as escape from psychotic panic. *Bull Menninger Clin.* 2016; 80 (2): 131-45.
- Goldstein K. Language and language disturbances. New York: Grune & Stratton; 1948.
- Goldstein K. Methodological approach to the study of schizophrenic thought disorder. en Kasanin JS, Language and Thought in Schizophrenia. Collected papers. Berkeley: University of California Press; 1951.
- Goldwert M. Erotic paranoid reaction, the imaginary lover, and the benign conspiracy.

Psychol Rep. 1993; 72 (1): 258.

Golodets RG, Lando LI, Afanas'ev IuI. Catecholamine metabolism in various compensatory manifestations of epilepsy patients. *Zh Nevropatol Psikhiatr Im S S Korsakova.* 1979; 79 (3): 324-8.

Gómez-Durán EL, Carrión MI, Xifró A, Martín-Fumadó C. Clinical characteristics and legal consequences of violent behavior: a case of bipolar disorder. *Actas Esp Psiquiatr.* 2010; 38 (6): 374-6.

González-Garrido AA, Ruiz-Sandoval JL, Gómez-Velázquez FR, de Alba JL, Villaseñor-Cabrera T. Hypercalculia in savant syndrome: central executive failure? *Arch Med Res.* 2002; 33 (6): 586-9.

González-Rodríguez A, Molina-Andreu O, Navarro Odriozola V, Gastó Ferrer C, Penadés R, Catalán R. Suicidal ideation and suicidal behaviour in delusional disorder: a clinical overview. *Psychiatry J.* 2014; 2014: 834901.

Gonzalez Seijo JC, Lastra Martinez I, Ramos Vicente YM. Parasitic delusions: literature review and report of new cases. *Actas Luso Esp Neurol Psiquiatr Cienc Afines.* 1993; 21 (2): 56-62.

Goodman M, Roiff T, Oakes AH, Paris J. Suicidal risk and management in borderline personality disorder. *Curr Psychiatry Rep.* 2012; 14 (1): 79-85.

Goodman WK, Price LH, Rasmussen SA, Mazure C, Fleischmann RL, Hill CL, Heninger GR, Charney DS. The Yale Brown Obsessive Compulsive Scale, 1: development, use, and reliability. *Arch Gen Psychiatry.* 1989; 46: 1006-11.

Gorelick DA, Kussin SZ, Kahn I. Paranoid delusions and auditory hallucinations associated with digoxin intoxication. *J Nerv Ment Dis.* 1978; 166 (11): 817-9.

Gorton, H. C., Webb, R. T., Kapur, N., & Ashcroft, D. M. (2016). Non-psychotropic medication and risk of suicide or attempted suicide: a systematic review. *BMJ open*, 6(1), e009074. <https://doi.org/10.1136/bmjopen-2015-009074>

Gossink FT, Vijverberg EG, Krudop W, Scheltens P, Stek ML, Pijnenburg YA, Dols A. Psychosis in behavioral variant frontotemporal dementia. *Neuropsychiatr Dis Treat.* 2017; 13: 1099-106.

Gotestam KG, Svebak S. Treatment of Tunnel Phobia: An Experimental Field Study. *Cogn Behav Ther.* 2009; 13: 1-7.

Gotz V. Paranoid psychosis with indomethacin. *Br Med J.* 1978; 1 (6104): 994-5.

Gournellis R, Oulis P, Howard R. Psychotic major depression in older people: a systematic review. *Int J Geriatr Psychiatry.* 2014; 29 (8): 789-96.

Grados MA. Obsessive-compulsive disorder after traumatic brain injury. *Int Rev Psychiatry.* 2003; 15 (4): 350-8.

Gramer B. Delusion of pregnancy in a girl with drug induced lactation. *American Journal of Psychiatry.* 1971; 127: 960-3.

- Green CE, Freeman D, Kuipers E, Bebbington P, Fowler D, Dunn G, Garety PA. Measuring ideas of persecution and social reference: the Green et al. Paranoid Thought Scales (GPTS). *Psychol Med*. 2008; 38 (1): 101-11.
- Green S, Moll J, Deakin JFW, Hulleman J, Zahn R. Proneness to decreased negative emotions in major depressive disorder when blaming others rather than oneself. *Psychopathology*. 2013; 46: 34-44.
- Greenberg D, Witztum E, Levy A. Hoarding as a psychiatric symptom. *J Clin Psychiatry*. 1990; 51 (10): 417-21.
- Gregory RJ, Mustata GT. Magical thinking in narratives of adolescent cutters. *J Adolesc*. 2012; 35 (4): 1045-51.
- Griesinger W. *Mental Pathology and Therapeutics*. New York: Hafner Publishing Company; 1967.
- Griesinger W. Über psychische Reflexaktionen, mit einen Blick auf das Wesen der psychischen Krankheiten. *Arch Physiol Heilk*. 1943; (2): 76-113.
- Griez E, Faravelli C, Nutt DJ. *Mood Disorders: Clinical Management and Research Issues*. West Sussex, England: Wiley; 2005.
- Griffiths RR, Johnson MW, Richards WA, Richards BD, McCann U, Jesse R. Psilocybin occasioned mystical-type experiences: Immediate and persisting dose-related effects. *Psychopharmacology (Berl)*. 2011; 218 (4): 649-65.
- Grimm O, Hubrich P. Delusional belief induced by clomiphen treatment. *Prog Neuropsychopharmacol Biol Psychiatry*. 2008; 32 (5): 1338-9.
- Grisham JR, Williams AD. Cognitive control of obsessional thoughts. *Behav Res Ther*. 2009; 47 (5): 395-402.
- Grove WM, Andreasen NC. Language and thinking in psychosis. Is there an input abnormality? *Arch Gen Psychiatry*. 1985; 42 (1): 26-32.
- Grover S, Aneja J, Mahajan S, Varma S. Cotard's syndrome: Two case reports and a brief review of literature. *J Neurosci Rural Pract*. 2014; 5 (Supl 1): S59-62.
- Grover S, Shah R, Ghosh A. Electroconvulsive therapy for lycanthropy and Cotard syndrome: a case report. *J ECT*. 2010; 26 (4): 280-1.
- Gruhle HW. *La Psiquiatría para el Médico Práctico* (traducido por Vallejo Nagera A de la 2ª edición en alemán de 1924). Barcelona: Editorial Labor S.A; 1925.
- Grunhaus L, Pande AC, Brown MB, Greden JF. Clinical characteristics of patients with concurrent major depressive disorder and panic disorder. *Am J Psychiatry*. 1994; 151 (4): 541-6.
- Guilfoyle P, O'Brien H, O'Keeffe ST. Delusions of pregnancy in older women: a case series. *Age Ageing*. 2015; 44 (6): 1058-61.
- Grams, N., & Endruscheit, U. (2021). *Medien und Homöopathie: Berichterstattung zwischen Lobbynähe und Wissenschaftsferne* [Media and homeopathy:

Reporting between proximity to lobbyism and distance from science]. *Bundesgesundheitsblatt, Gesundheitsforschung, Gesundheitsschutz*, 64(1), 62–69. <https://doi.org/10.1007/s00103-020-03255-z>

Grillault Laroche, D., & Gaillard, A. (2016). Induced Obsessive Compulsive Symptoms (OCS) in schizophrenia patients under Atypical 2 Antipsychotics (AAPs): review and hypotheses. *Psychiatry research*, 246, 119–128. <https://doi.org/10.1016/j.psychres.2016.09.031>

Guiraud P. Analyse du symptôme stéréotypie. *L'encéphale*. 1936; 31: 229-69.

Guiraud P. Psychiatrie Clinique. 3a edición. Paris: Libraire Le François; 1956.

Guislain J. Leçons Orales sur les Phrenopathies ou Traité Theorique et pratique des Maladies Mentales. 3 vols. Gand: Hebbelynck; 1852.

Guislain J. Leçons Orales sur les Phrenopathies ou Traité Theorique et pratique des Maladies Mentales. Gand: Hebbelynck; 1852.

Guislain J. Leçons Orales sur les Phrenopathies ou Traité Theorique et pratique des Maladies Mentales. 2me Edition. Paris: J.B. Baliere et fils; 1880.

Gumley AI, Gillan K, Morrison AP, Schwannauer M. The development and validation of the Beliefs about Paranoia Scale (Short Form). *Behav Cogn Psychother*. 2011; 39 (1): 35-53.

Gupta A, Desai NG. Pathological fantasy friend phenomenon. *Int J Psychiatry Clin Pract*. 2006; 10 (2): 149-51.

Gutierrez DM, Sousa AB, Grubits S. Suicidal ideation and attempted suicide in elderly people - subjective experiences. *Cien Saude Colet*. 2015; 20 (6): 1731-40.

Guy W, Ban TA. The AMDP System: Manual for the Documentation of Psychopathology. Heidelberg: Springer Verlag; 1982.

Gayton WF, Clavin RH, Clavin SL, Broida J. Further validation of the Indecisiveness Scale. *Psychol Rep*. 1994; 75 (3.2): 1631-4.

Hack Tuke D. Imperative Ideas. *Brain*. 1894; 17 (2): 179–97.

Halari R, Premkumar P, Farquharson L, Fannon D, Kuipers E, Kumari V. Rumination and negative symptoms in schizophrenia. *J Nerv Ment Dis*. 2009; 197 (9): 703-6.

Hale AS, Pinninti NR. Exorcism-resistant ghost possession treated with clopenthixol. *Br J Psychiatry*. 1994; 165 (3): 386-8.

Hall SM. The abstinence phobias: links between substance abuse and anxiety. *Int J Addict*. 1984; 19 (6): 613-31.

Hall RC, Popkin MK, Stickney SK, Gardner ER. Presentation of the steroid psychoses. *J Nerv Ment Dis*. 1979; 167 (4): 229-36.

Hamilton M. Fish's clinical psychopathology. 2nd Ed. Bristol: Wright; 1976.

Hamilton M. Fish's outline of psychiatry revised by Max Hamilton. 4th ed. Bristol:

- Wright; 1984.
- Hamilton M. Fish's schizophrenia, edited by Max Hamilton. 2nd ed. Bristol: Wright; 1976.
- Hamner MB. Obsessive-compulsive symptoms associated with acute intermittent porphyria. *Psychosomatics*. 1992; 33 (3): 329-31.
- Haroche A. Asperger syndrome: increased suicidal ideation. *Soins Psychiatr*. 2014; (295): 7.
- Harrow M, Himmelhoch J, Tucker G, Hersh J, Quinlan D. Overinclusive thinking in acute schizophrenic patients. *J Abnorm Psychol*. 1972; 79 (2): 161-8.
- Harvey PD, Brault J. Speech performance in mania and schizophrenia: the association of positive and negative thought disorders and reference failures. *J Commun Disord*. 1986; 19 (3): 161-73.
- Hayman MA, Abrams R. Capgras syndrome and cerebral dysfunction. *Br J Psychiatry*. 1977; 130: 68-71.
- Heckers S, Rauch SL, Goff D, Savage CR, Schacter DL, Fischman AJ. Impaired recruitment of the hippocampus during conscious recollection in schizophrenia. *Nat Neurosci*. 1998; 1: 318-23.
- Heise T. Delusion of possession in a Korean patient and therapy. *Psychiatr Prax*. 1992; 19 (6): 225-8.
- Heisel MJ, Flett GL. The development and initial validation of the geriatric suicide ideation scale. *Am J Geriatr Psychiatry*. 2006; 14: 742-751.
- Hinzen W, Rosselló J. The linguistics of schizophrenia: thought disturbance as language pathology across positive symptoms. *Front Psychol*. 2015; 6: 971.
- Hirjak D, Fuchs T. Delusions of technical alien control: a phenomenological description of three cases. *Psychopathology*. 2010; 43 (2): 96-103.
- Hirsh R. Lack of variability or perseveration: describing the effect of hippocampal ablation. *Physiol Behav*. 1970; 5 (11): 1249-54.
- Hobbes T. Leviathan or the Matter, Forme, & Power of a Common-wealth Ecclesiasticall and Civill. London: Green Dragon in St. Pauls Church-yard; 1651.
- Hoehn-Saric R, McLeod DR. Locus of control in chronic anxiety disorders. *Acta Psychiatr Scand*. 1985; 72 (6): 529-35.
- Hoeppner JB, Garron DC, Wilson RS, Koch-Weser MP. Epilepsy and verbosity. *Epilepsia*. 1987; 28 (1): 35-40.
- Hollender MH, Callahan AS. Erotomania or de Clérambault syndrome. *Arch Gen Psychiatry*. 1975; 32 (12): 1574-6.
- Holopainen D. The experience of seeking help for postnatal depression. *Aust J Adv*

Nurs. 2002; 19 (3): 39-44.

Hori, T., Mizukami, K., Suzuki, T., Sakuma, K., Baba, A., Tanaka, Y., Shiraishi, H., & Koizumi, J. (1991). Ramsay Hunt syndrome with mental disorder. *The Japanese journal of psychiatry and neurology*, 45(4), 873–877. <https://doi.org/10.1111/j.1440-1819.1991.tb00527.x>

Hornberger M. Assessment of psychiatric changes in C9ORF72 frontotemporal dementia. *Alzheimers Res Ther.* 2012; 4 (6): 49.

Hrdlicka M. Delusion of maternity. *Psychopathology.* 1998; 31: 270-3.

Huber W, Stachowiak FJ, Poeck K, Kerschensteiner M. Die Wernicke-Aphasie. Klinisches Bild und Überlegungen zur neurolinguistischen Struktur. *J Neurol.* 1975; 210 (2): 77-97.

Hughes J. R. (2008). Smoking and suicide: a brief overview. *Drug and alcohol dependence*, 98(3), 169–178. <https://doi.org/10.1016/j.drugalcdep.2008.06.003>

Hume D. Treatise of Human Nature, Book I. Oxford: Clarendon Press; 1896.

Hunfeld JA, Wladimiroff JW, Passchier J. The grief of late pregnancy loss. *Patient Educ Couns.* 1997; 31 (1): 57-64.

Hunger J. Psychopathological studies on the so-called epileptic personality change. *Fortschr Neurol Psychiatr.* 1983; 51 (10): 327-41.

Hurley AD. The Misdiagnosis of Hallucinations and Delusions in Persons with Mental Retardation: A Neurodevelopmental Perspective. *Semin Clin Neuropsychiatry.* 1996; 1 (2): 122-33.

Hwang LC, Dada O, Adanty C, Fatemi AB, Graff A, Strauss J, Tasmim S, Gerretsen P, Zai C, Borlido C, De Luca V. Independent effect of childhood trauma and recent stress as predictors for current suicidal ideation in schizophrenia. *Gen Hosp Psychiatry.* 2019. pii: S0163-8343(19)30254-3.

Iraqi A, Hughes TL. A case report of paranoid delusion with galantamine use. *J Am Geriatr Soc.* 2005; 53 (11): 2036-7.

Isaacs AD. Imaginary poverty. *Br Med J.* 1960; 2 (5200): 737

Ito T, Takenaka K, Tomita T, Agari I. Comparison of ruminative responses with negative rumination as a vulnerability factor for depression. *Psychol Rep.* 2006; 99 (3): 763-72.

Iwu CO, Akpata O. Delusional halitosis. Review of the literature and analysis of 32 cases. *Br Dent J.* 1990; 168 (7): 294-6.

Jackson SW. Melancholia and Depression. From Hippocratic Times to Modern Times. Ann Arbor: Yale University Press; 1986.

Jafferany M, Silverman MA. Suicidal ideation associated with asenapine use: a report of 2 cases. *J Clin Psychopharmacol.* 2011; 31 (4): 534-5.

- Jain U, Birmaher B, Garcia M, Al-Shabbout M, Ryan N. Fluoxetine in children and adolescents with mood disorders: a chart review of efficacy and adverse effects. *J Child Adolesc Psychopharmacol*. 1992; 2(4): 259-65.
- Jagadheesan K, Sandil R, Nizamie SH. Delusional hermaphroditism: a rare variant of delusional misidentification syndrome. *Psychopathology*. 2002; 35 (1): 52-4.
- Jakuszkowiak-Wojten K, Cubata WJ, Szeliga-Lewinska J. Delusional parasitosis: case report. *Psychiatr Pol*. 2007; 41 (4): 571-8.
- Janowsky DS, Risch SC, Ziegler M, Kennedy B, Huey L. A cholinomimetic model of motion sickness and space adaptation syndrome. *Aviat Space Environ Med*. 1984;55(8):692-6.
- Jansen JW, Sen SK, Moenster RP. Elevated Voriconazole Level Associated With Hallucinations and Suicidal Ideation: A Case Report. *Open Forum Infect Dis*. 2017; 4 (1): 215.
- Jaros M. Magical thinking in healthy people and in schizophrenia]. *Psychiatr Pol*. 1996; 30 (3): 471-84.
- Jaspers K. General psychopathology. 2nd Ed. in English. Chicago: Chicago University press; 1968.
- Jaspers K. Psicopatología General. Mexico DF: Fondo de cultura económica; 1993.
- Jay M. The Air Loom Gang: The Strange True Story of James Tilly Matthews and His Visionary Madness and His Confinement in Bedlam. London: Bantam; 2003.
- Jellinek MS, Hirst J, Stein MT. Giving bad news: a 13-year old with acute psychotic symptoms and catatonia. *J Dev Behav Pediatr*. 2010; 3: S103-6.
- Jeon HJ, Park JI, Fava M, Mischoulon D, Sohn JH, Seong S, Park JE, Yoo I, Cho MJ. Feelings of worthlessness, traumatic experience, and their comorbidity in relation to lifetime suicide attempt in community adults with major depressive disorder. *J Affect Disord*. 2014; 166: 206-12.
- Jodar Vicente M, Barroso Ribal J, Brun I Gasca C, Dorado Mesa M, García Jiménez, A, Martín Plasencia P, Nieto Barco A. Trastornos del Lenguaje y la Memoria. Barcelona: Editorial UOC; 2005.
- Johnco C, McGuire JF, McBride NM, Murphy TK, Lewin AB, Storch EA. Suicidal ideation in youth with tic disorders. *J Affect Disord*. 2016; 200: 204-11.
- Jolivet R. Curso de filosofía. Buenos Aires: Descleee, de Brouwer y Cía; 1965.
- Jones JE, Hermann BP, Barry JJ, Gilliam FG, Kanner AM, Meador KJ. Rates and risk factors for suicide, suicidal ideation, and suicide attempts in chronic epilepsy. *Epilepsy Behav*. 2003; 4 (3): S31-8.
- Joormann J, Dkane M, Gotlib IH. Adaptive and maladaptive components of rumination? Diagnostic specificity and relation to depressive biases. *Behav Ther*. 2006; 37 (3): 269-80.

- Jørgensen P. Recovery and insight in schizophrenia. *Acta Psychiatr Scand* 1995; 92: 436-40.
- Jørgensen P, Aagaard J. Clinical predictors of course and outcome in delusional psychosis. *Acta Psychiatr Scand*. 1988; 77 (3): 332-7.
- Jornayvaz FR1, Raguso CA, Philippe J. Diabetes mellitus and driving. *Rev Med Suisse*. 2007; 3 (114): 1437-8, 1440-1.
- Jouve A, Bernet A, Ebagosti A. Pluri-dimensional study of psychological factors in coronary disease. *Arch Mal Coeur Vaiss*. 1978; 71 (12): 1397-404.
- Judd PA. Neurocognitive deficits in borderline personality disorder: implications for treatment. *Psychodyn Psychiatry*. 2012; 40 (1): 91-110.
- Jung CG. The association method. *Am. J. Psychol*. 1910; 31: 219-69.
- Juretić Peščica M, Knez R, Pavešić Radonja A. Capgras syndrome and mignon delusion - delusional misidentification syndromes. *European Psychiatry* 2013; 28 (Supl 1): 1.
- Jürgens A. "Refuse hoarding syndrome". *Psychiatr Prax*. 2000; 27 (1): 42-6.
- Just N, Alloy LB. The response styles theory of depression: Tests and an extension of the theory. *Journal of Abnormal Psychology* 1997; 106: 221-9.
- Kachadourian LK, Fincham F, Davila J. Attitudinal ambivalence, rumination, and forgiveness of partner transgressions in marriage. *Pers Soc Psychol Bull*. 2005; 31 (3): 334-42.
- Kahlbaum K. Die Katatonie oder Spannungirresein. Berlin: A. Hirschwald; 1874.
- Kainat S, Ijaz T. Relationship between anger, suicidal ideation and sleep disturbance in patients on haemodialysis treatment in Sheikhpura, Pakistan. *J Pak Med Assoc*. 2020; 70 (1): 139-42.
- Kallich JD, Tchekmedyan NS, Damiano AM, Shi J, Black JT, Erder MH. Psychological outcomes associated with anemia-related fatigue in cancer patients. *Oncology (Williston Park)*. 2002; 16 (9 Supl 10): 117-24.
- Kamenetskiĭ VK, Nuller IuL. Features of affective disorders in patients with vascular parkinsonism. *Zh Nevropatol Psikhiatr Im S S Korsakova*. 1987; 87 (4): 578-81.
- Kaminsky MJ, Slavney PR. Hysterical and obsessional features in patients with Briquet's syndrome (somatization disorder). *Psychol Med*. 1983; 13 (1): 111-20.
- Kant I. Critique of Pure Reason. (originalmente publicado en 1781). Cambridge: Cambridge University Press; 1998.
- Kanwar A, Malik S, Prokop LJ, et al. The association between anxiety disorders and suicidal behaviors: a systematic review and meta-analysis. *Depress Anxiety*. 2013; 30 (10): 917-29.

- Kaplan HI, Saddock BJ, Grebb JA. Kaplan and Saddock's Synopsis of Psychiatry. Behavioral Sciences. Clinical Psychiatry. 7th ed. Baltimore: Williams & Wilkins; 1994.
- Kapoor S, Thakkar J, Aggarwal V. Theophylline toxicity leading to suicidal ideation in a patient with no prior psychiatric illness. *SAGE Open Med Case Rep*. 2015; 3: 2050313X15583208.
- Karamanou M, Androutsos G. Lasthénie de Ferjol syndrome: a rare disease with fascinating history. *Intern Med J*. 2010;40(5):381-382
- Kasch KL, Klein DN, Lara ME. A construct validation study of the Response Styles Questionnaire Rumination Scale in participants with a recent-onset major depressive episode. *Psychol Assess*. 2001;13 (3): 375-83.
- Kasanin JS. Language and thought in Schizophrenia. Collected papers. Berkeley: University of California Press; 1951.
- Kasckow J, Montross L, Prunty L, Fox L, Zisook S. Suicidal behavior in the older patient with schizophrenia. *Aging Health*. 2011; 7 (3): 379-393.
- Kato S, Oda M, Hayashi H, Kawata A, Shimizu T. Participation of the limbic system and its associated areas in the dementia of amyotrophic lateral sclerosis. *J Neurol Sci*. 1994; 126 (1): 62-9.
- Kawashima Y, Yonemoto N, Inagaki M, Inoue K, Kawanishi C, Yamada M. Interventions to prevent suicidal behavior and ideation for patients with cancer: A systematic review. *Gen Hosp Psychiatry*. 2019; 60: 98.
- Keck PE, Pope HG, Hudson JI, Mc Elroy SL, Kulick AR. Lycanthropy: alive and well in the twentieth century. *Psychol Med*. 1988; 18 (1): 113-20.
- Kellinghaus C. Reversible suicidal ideation after exposure to lacosamide. *Seizure*. 2013; 22 (4): 318-9.
- Kelly BD. Erotomania: epidemiology and management. *CNS Drugs*. 2005; 19 (8): 657-69.
- Kelly O, Matheson K, Ravindran A, Merali Z, Anisman H. Ruminative coping among patients with dysthymia before and after pharmacotherapy. *Depress Anxiety*. 2007; 24 (4): 233-43.
- Kendler KS, Glazer WM, Morgenstern H. Dimensions of Delusional Experience. *Am J Psychiatry*. 1983; 140: 466-9.
- Kenworthy L, Charnas L. Evidence for a discrete behavioral phenotype in the oculocerebrorenal syndrome of Lowe. *Am J Med Genet*. 1995; 59 (3): 283-90.
- Kidd B, McGlip R, Stark C, McKane, JP. Delusional dish syndromes. *Irish Journal of Psychological Medicine*. 1992; 9: 52-3.
- Killen JD, Hayward C, Wilson DM, Taylor CB, Hammer LD, Litt I, Simmonds B, Haydel F. Factors associated with eating disorder symptoms in a community sample of 6th and 7th grade girls. *Int J Eat Disord*. 1994; 15 (4): 357-67.

- Kiloh LG, Garside RF. The independence of neurotic depression and endogenous depression. *Br J Psychiatry*. 1963; 109: 451-63.
- Kim, D. D., Barr, A. M., Lu, C., Stewart, S. E., White, R. F., Honer, W. G., & Procyshyn, R. M. (2020). Clozapine-Associated Obsessive-Compulsive Symptoms and Their Management: A Systematic Review and Analysis of 107 Reported Cases. *Psychotherapy and psychosomatics*, 89(3), 151–160. <https://doi.org/10.1159/000505876>
- Kim S, Yu BH, Lee DS, Kim JH. Ruminative response in clinical patients with major depressive disorder, bipolar disorder, and anxiety disorders. *J Affect Disord*. 2012; 136 (1-2): e77-81.
- Kim-Godwin Y, Lee MH. Suicidal ideation, plan, and attempts and nonmedical prescription opioid use among U.S. adults. *Arch Psychiatr Nurs*. 2019; 33 (5): 9-15.
- Kimhy D, Goetz R, Yale S, Corcoran C, Malaspina D. Delusions in individuals with schizophrenia: factor structure, clinical correlates, and putative neurobiology. *Psychopathology*. 2005; 38 (6): 338-44.
- Kinzl JF, Hauer K, Traweger C, Kiefer I. Orthorexia nervosa in dieticians. *Psychother Psychosom*. 2006; 75 (6): 395-6.
- Kiran C, Chaudhury S. Understanding delusions. *Ind Psychiatry J*. 2009; 18 (1): 3–18.
- Kirkwood SC, Su JL, Conneally P, Foroud T. Progression of symptoms in the early and middle stages of Huntington disease. *Arch Neurol*. 2001; 58 (2): 273-8.
- Kirov K. Studies of the course of schizophasia. *Psychopathology*. 1990; 23 (4-6): 339-41.
- Kirstein L, Smith H. Racing thoughts in primary depression. *J Clin Psychiatry*. 1980; 41 (6): 199-201.
- Kirtley OJ, Rodham K, Crane C. Understanding suicidal ideation and behaviour in individuals with chronic pain: a review of the role of novel transdiagnostic psychological factors. *Lancet Psychiatry*. 2020. pii: S2215-0366(19)30288-3.
- Klin A. Autism and Asperger syndrome: an overview. *Rev Bras Psiquiatr*. 2006; 28 (Supl I): S3-11.
- Kline AD, Grados M, Sponseller P, Levy HP, Blagowidow N, Schoedel C, Rampolla J, Clemens DK, Krantz I, Kimball A, Pichard C, Tuchman D. Natural history of aging in Cornelia de Lange syndrome. *Am J Med Genet C Semin Med Genet*. 2007; 145 (3): 248-60.
- Knowles R, McCarthy-Jones S, Rowse G. Grandiose delusions: A review and theoretical integration of cognitive and affective perspectives. *Clinical Psychology Review*. 31; (2011): 684-96.
- Koehler K, Guth W, Grimm G. First-rank symptoms of schizophrenia in Schneider-oriented German centers. *Arch Gen Psychiatry*. 1977; 34 (7): 810-3.

- Koerner N, Mejia T, Kusec A. What's in a name? Intolerance of uncertainty, other uncertainty-relevant constructs, and their differential relations to worry and generalized anxiety disorder. *Cogn Behav Ther.* 2017; 46 (2): 141-61.
- Koneva OP, Neïmark AI, Piven' BN. Features of mental disorders in patients with chronic pyelonephritis. *Urologiia.* 2003; (5): 32-5.
- Kopeïko GI. Bipolar and monopolar affective disorders of juvenile age. *Vestn Ross Akad Med Nauk.* 2011; (4): 26-30.
- Korczak DJ, Canadian Paediatric Society, Mental Health and Developmental Disabilities Committee. Suicidal ideation and behaviour. *Paediatr Child Health.* 2015; 20 (5): 257-64.
- Kornischka J, Schneider F: Delusion of Pregnancy. *Psychopathology* 2003; 36: 276-8.
- Kouvelou E, Pourzitaki C, Aroni F, Papazisis G, Kouvelas D. Acute psychosis induced by clarithromycin in a healthy adult? *J Clin Psychopharmacol.* 2008; 28 (5): 579-580.
- Koyama T, Kurita H. Cognitive profile difference between normally intelligent children with Asperger's disorder and those with pervasive developmental disorder not otherwise specified. *Psychiatry Clin Neurosci.* 2008; 62 (6): 691-6.
- Kozak MJ, Foa EB. Obsessions, overvalued ideas, and delusions in obsessive-compulsive disorder. *Behav Res Ther.* 1994; 32 (3): 343-53.
- Kraepelin E. Dementia praecox and paraphrenia. Edinburgh: Livingstone; 1919.
- Kraepelin E. Psychiatrie: Ein lehrbuch fur studierende und aerzte. Leipzig: Barth; 1913.
- Kraepelin E. Psychiatry. A textbook for students and psysicians. Canton: Science History Publications; 1990.
- Kraft-Ebing R. Lerbuch Psychiatrie auf Klinischer Grundlage für Praktische Ärzte und Studirende. Paris: A. Maloine; 1897.
- Kraft-Ebing R. Traité Clinique de Psychiatrie. Paris: A. Maloine; 1897.
- Kramer JH, Reed BR, Mungas D, Weiner MW, Chui HC. Executive dysfunction in subcortical ischaemic vascular disease. *J Neurol Neurosurg Psychiatry.* 2002; 72 (2): 217-20.
- Kräupl-Taylor. Psychopathology. Its Causes and Symptoms. Washington: Butterworks; 1966.
- Kretschmer E. El delirio sensitivo de referencia. Madrid: Editorial triacastela; 2000.. Traducción de la 4ª Ed. en alemán: Der sensitive beziehungswahn. Berlin: Springer-Verlag; 1966.
- Kua EH, Yeo PPB. Hyperthyroidism and de Clerambault's syndrome in a young woman. *Brit Med J.* 1987; (295): 1097-8.
- Kueher C, Weber I. Responses to depression in unipolar depressed patients: An

investigation of Nolen–Hoeksema's response styles theory. *Psychological Medicine* 1999; 29: 1323-33.

Kulhara P, Chakrabarti S. Culture and schizophrenia and other psychotic disorders en

Mezzich JE, Fabrega H. Cultural psychiatry: International perspectives. The psychiatric clinics of North America. Philadelphia: WB Saunders company; 2001.

Kumar P, Jain MK. Progressive multifocal leucoencephalopathy in AIDS camouflaged with catatonia: A wolf in sheep's clothing. *Indian J Psychiatry*. 2006; 48 (1): 69-71.

Kummer A, Cardoso F, Teixeira AL. Suicidal ideation in Parkinson's disease. *CNS Spectr*. 2009; 14 (8): 431-6.

Kundu S, Bryk J, Alam A. Resolution of Suicidal Ideation With Corticosteroids in a Patient With Concurrent Addison's Disease and Depression. *Prim Care Companion CNS Disord*. 2014;16(6). 1-5.

Kunert HJ, Norra C, Hoff P. Theories of delusional disorders. *Psychopathology*. 2007; 40: 191-202.

Labay-Kamara U, Manning S, McMahon T. Fluoroquinolone-induced suicidal ideation and suicidality. *Psychosomatics*. 2012; 53 (1): 97-8.

Lacan J. L'Etourdit, in *Scilicet* N° 4. Paris: Ed. du Seuil; 1973.

Lachiewicz AM. Abnormal behaviors of young girls with fragile X syndrome. *Am J Med Genet*. 1992; 43 (1-2): 72-7.

Lamberg L. Psychiatrist explores apocalyptic violence in Heaven's Gate and Aum Shinrikyo cults. *JAMA* 1997; 278: 191-3.

Lamontagne Y. Treatment of erythrophobia by paradoxical intention. *J Nerv Ment Dis*. 1978; 166 (4): 304-6.

Lanczik M, Hofberg K, Brockington IF: Delusion of Infestation with Post-Partum Onset: Case Report. *Psychopathology* 1999; 32: 277-80.

Laplane D. Obsessive-compulsive disorders caused by basal ganglia diseases. *Rev Neurol (Paris)*. 1994; 150 (8-9): 594-8.

Laplane D, Levasseur M, Pillon B, Dubois B, Baulac M, Mazoyer B, Tran Dinh S, Sette G, Danze F, Baron JC. Obsessive-compulsive and other behavioural changes with bilateral basal ganglia lesions. A neuropsychological, magnetic resonance imaging and positron tomography study. *Brain*. 1989; 112 (3): 699-725.

Laplane D, Widlocher D, Pillon B, Baulac M, Binoux F. Obsessional-type compulsive behavior caused by bilateral circumscribed pallidostriatal necrosis. Encephalopathy caused by a wasp sting. *Rev Neurol (Paris)*. 1981; 137 (4): 269-76.

- Larner AJ. Delusion of pregnancy in frontotemporal lobar degeneration with motor neurone disease (FTLD/MND). *Behav Neurol*. 2008; 19: 199–200.
- Larner AJ. "Frontal variant Alzheimer's disease": a reappraisal. *Clin Neurol Neurosurg*. 2006; 108 (7): 705-8.
- Larner AJ. Delusion of pregnancy: a case revisited. *Behav Neurol*. 2013; 27 (3): 293-4.
- Lasaga J. Death in Jonestown: techniques of political control by a paranoid leader. *Suicide Life Threat Behav*. 1980; 10 (4): 210-3.
- Lasègue C. Du délire dès persécutions. Paris: Arch Gen Med; 1852.
- Lasser R, Bossie CA, Gharabawi G, Eerdeken M, Nasrallah HA. Efficacy and safety of long-acting risperidone in stable patients with schizoaffective disorder. *J Affect Disord*. 2004; 83 (2-3): 263-75.
- Lazarus RS. Cognition and motivation in emotion. *Am Psychol*. 1991; 46 (4): 352-367.
- Lee JW. Chronic 'speech catatonia' with constant logorrhea, verbigeration and echolalia successfully treated with lorazepam: a case report. *Psychiatry Clin Neurosci*. 2004; 58 (6): 666-8.
- Leibnitz GW. New Essays on Human Understanding. London: The MacMillan Company; 1896.
- Legrand du Saule H. Le délire des persécutions. Paris: Henri Plon; 1871.
- Lemberg M, Thompson AW. Marfan Syndrome and Schizophrenia: A Case Report and Literature Review. *Gen Hosp Psychiatry*; *Gen Hosp Psychiatry*. 2010; 32 (2): 228-30.
- Lemelin S, Baruch P, Vincent A, Laplante L, Everett J, Vincent P. Attention disturbance in clinical depression. Deficient distractor inhibition or processing resource deficit? *J Nerv Ment Dis*. 1996; 184 (2): 114-21.
- Leon RL, Bowden CL, Faber RA. Diagnosis and psychiatry: Examination of the psychiatric patient. In H. Kaplan & B. Sadock. *Comprehensive textbook of psychiatry*, 5 ed. 1989. Baltimore: Williams & Wilkins; 1989.
- Leong GB, Silva JA. The physician as erotomaniac object. *West J Med*. 1992; (156): 77-8.
- Leonhard K. *Aufteilund der endogenen psychoses*. Berlin: Akademie Verlag; 1957.
- Lester D. Helplessness, hopelessness, and haplessness and suicidality. *Psychol Rep*. 1998; 82 (3): 946
- Levine RE, Gaw AC. Culture-Bound Syndromes. En Alarcón R. *Cultural psychiatry. The Psychiatric Clinics of North America*. Volume 18, Number 3, September 1995. WB. Saunders Company
- Levy-Valensi J. L'illusion des sosies. *Gaz Hôp*. 1929; 55: 1001-3.

- Lewicka M. *Rational or uncommitted? Depression and indecisiveness in interpersonal decision making. Scand J Psychol.* 1997; 38 (3): 227-36.
- Lhermitte J. *Syndrome de la callote du pedoncule cerebral. Le troubles psychosensoriels dans les lesions du mesocephale. Rev Neurol.* 1922; 2: 1359-65.
- Li J, Stroebe M, Chan CL, Chow AY. Guilt in bereavement: a review and conceptual framework. *Death Stud.* 2014; 38 (1-5): 165-71.
- Liegghio NE, Yeragani VK, Moore NC. Buspirone-induced jitteriness in three patients with panic disorder and one patient with generalized anxiety disorder. *J Clin Psychiatry.* 1988; 49 (4): 165-6.
- Limosin F, Kessler V, Adès J. Precocious and polymorphic factitious disorder. *Presse Med.* 2001; 30 (1): 16-8.
- Lindenmayer JP, Czobor P, Alphs L, Nathan AM, Anand R, Islam Z, Chou JC; InterSePT Study Group. The InterSePT scale for suicidal thinking reliability and validity. *Schizophr Res.* 2003; 63 (1-2): 161-70.
- Lindsberg, P. J., Meretoja, A., Mattila, O. S., & Kuisma, M. (2014). Tunnistatko aivoinfarktin liuotushoitokandidaatin? [Can you recognize a candidate for thrombolytic treatment of ischemic stroke?]. *Duodecim; laaketieteellinen aikakauskirja*, 130(4), 383–389.
- Lipkovich IA, Deberdt W, Csernansky JG, Buckley P, Peuskens J, Kollack-Walker S, Rotelli M, Houston JP. Defining "good" and "poor" outcomes in patients with schizophrenia or schizoaffective disorder: a multidimensional data-driven approach. *Psychiatry Res.* 2009; 170 (2-3): 161-7.
- Liu RT, Miller I. Life events and suicidal ideation and behavior: A systematic review. *Clinical Psychology Review.* 2014; 34 (3): 181-192.
- Liu RT, Bettis AH, Burke TA. Characterizing the phenomenology of passive suicidal ideation: a systematic review and meta-analysis of its prevalence, psychiatric comorbidity, correlates, and comparisons with active suicidal ideation. *Psychol Med.* 2020; 7: 1-1.
- Liu RT, Jones RN, Spirito A. Is Adolescent Suicidal Ideation Continuous or Categorical? A Taxometric Analysis. *J Abnorm Child Psychol.* 2015; 43 (8): 1459-66.
- Llopis B. *La Psicosis Única. Escritos Escogidos.* Madrid: Triacastela; 2003.
- Lloyd-Mostyn RH. Unexpected reaction to anthelmintic. *Br Med J.* 1968; 3 (5617): 557.
- Loaiza-Bonilla A, Sullivan T, Harris RK. Lost in the mist: acute adrenal crisis following intranasal fluticasone propionate overuse. *Case Report Med.* 2010; 2010. pii: 846534.
- Locke J. *An Essay Concerning Human Understanding.* London: The Ballet; 1690.

- Loftus J, Delisi LE, Crow TJ. Factor structure and familiarity of first-rank symptoms in sibling pairs with schizophrenia and schizoaffective disorder. *Br J Psychiatry*. 2000; 177: 15-9.
- Lopes RD, Banzato CE, Santos A Jr. Pregnancy delusion hinders the diagnosis of achalasia in a patient with life-threatening emaciation. *Oxf Med Case Reports*. 2014; 2014 (3): 52-4.
- López Doblaz J, Díaz Conde MDP. Widowhood, loneliness, and health in old age. *Rev Esp Geriatr Gerontol*. 2018; 53 (3): 128-33.
- López-Ibor JJ, Ortíz Alonso T, López-Ibor MI. Lecciones de Psicología Medica. Madrid: Masson S.A; 1999.
- Lopez Ibor JJ. El sistema AMDP. Manual para la documentacion de los hallazgos psiquiatricos de la asociacion para la metodologia y documentacion en psiquiatria (A.M.D.P.). Madrid: Graficas Orbe; 1980.
- Lopez Ibor JJ. Las Neurosis como Enfermedades del Animo. Madrid: Editorial Gredos S.A; 1966.
- López-Ariztegui N, Lobato-Casado P, Muñoz-Escudero F, Polo-Martín M, Montes-Gonzalo MC, Alvarez-Tejerina A. Sub-acute encephalopathy that responds to steroids without any evidence of autoimmune thyroid disease: a case of non-vasculitic autoimmune meningoencephalitis. *Rev Neurol*. 2009; 49 (7): 359-62.
- Lu ML, Pan JJ, Teng HW, Su KP, Shen WW. Metoclopramide-induced supersensitivity psychosis. *Ann Pharmacother*. 2002; 36 (9): 1387-90.
- Luminet O, Rime B, Bagby RM, Taylor GJ. A multimodel investigation of emotional responding in alexithymia. *Cognition and Emotion*. 2004; 18: 741-66.
- Lynch S, Merson S, Beshyah SA, Skinner E, Sharp P, Priest RG, Johnston DG. Psychiatric morbidity in adults with hypopituitarism. *J R Soc Med*. 1994; 87 (8): 445-7.
- Lysaker PH, Clements CA, Wright DE, Evans J, Marks KA. Neurocognitive correlates of helplessness, hopelessness, and well-being in schizophrenia. *J Nerv Ment Dis*. 2001; 189 (7): 457-62.
- Lythgoe MF, Pollak TA, Kalmus M, de Haan M, Chong WK. Obsessive, prolific artistic output following subarachnoid hemorrhage. *Neurology*. 2005; 64 (2): 397-8.
- Macaluso M, Larson CA. The First Published Case Report of an Adult Woman Who Developed Suicidal Ideation as an Adverse Event Related to Methylphenidate Use. *Prim Care Companion CNS Disord*. 2015; 17 (2): 1-3.
- MacCallum WAG. Capgras syndrome with an organic basis. *Br J Psychiatry*. 1973; 123: 639-42.
- Mackin RS, Insel P, Aisen PS, Geda YE, Weiner MW; Alzheimer's Disease Neuroimaging Initiative. Longitudinal stability of subsyndromal symptoms of depression in individuals with mild cognitive impairment: relationship to

- conversion to dementia after 3 years. *Int J Geriatr Psychiatry*. 2012; 27 (4): 355-63.
- Maggini C, Lundgren E, Leuci E. Jealous love and morbid jealousy. *Acta Biomed*. 2006; 77: 137-46.
- Maggino T, Casadei D, Panontin E, Fadda E, Zampieri MC, Donà MA, Soldà M, Altoè G. Impact of an HPV diagnosis on the quality of life in young women. *Gynecol Oncol*. 2007; 107 (1): 175-9.
- Magnan V. Leçons Cliniques sur les Maladies Mentales. Faites a Lásile clinique (Sante Anne). Paris: Imp G. Morand; 1893.
- Mahler C, Macqueen G, Samaan Z. A postmenopausal woman presenting with Ekblom syndrome associated with recurrent depressive disorder: a case report. *Cases J*. 2008; 1 (1): 54
- Mahoney JJ , Hawkins RY, De La Garza R, Kalechstein AD, Newton TF. Relationship between gender and psychotic symptoms in cocaine-dependent and methamphetamine-dependent participants. *Gen Med*. 2010; 7 (5): 414-21.
- Majstorovic M, Veerkamp JS. Relationship between needle phobia and dental anxiety. *J Dent Child*. 2004; 71 (3): 201-5.
- Malla AK. Negative symptoms and affective disturbance in schizophrenia and related disorders. *Can J Psychiatry*. 1995; 40 (Supl 2): 55-9.
- Mallorquí-Bagué N, Mena-Moreno T, Granero R, Vintró-Alcaraz C, Sánchez-González J, Fernández-Aranda F, Pino-Gutiérrez AD, Mestre-Bach G, Aymamí N, Gómez-Peña M, Menchón JM, Jiménez-Murcia S. Suicidal ideation and history of suicide attempts in treatment-seeking patients with gambling disorder: The role of emotion dysregulation and high trait impulsivity. *J Behav Addict*. 2018; 7 (4): 1112-21.
- Mangili A. Alcohol and working. *G Ital Med Lav Ergon*. 2004; 26 (3): 255-8.
- Manjunatha N, Saddichha S. Delusion of pregnancy associated with antipsychotic induced metabolic syndrome. *World J Biol Psychiatry*. 2009; 10: 669-70.
- Manoj PN, John JP, Gandhi A, Kewalramani M, Murthy P, Chaturvedi SK, Isaac MK: Delusion of Test-Tube Pregnancy in a Sexually Abused Girl. *Psychopathology*. 2004; 37: 152-4.
- Manschreck TC, Laughery JA, Weisstein CC, Allen D, Humblestone B, Neville M, Podlewski H, Mitra N. Characteristics of freebase cocaine psychosis. *Yale J Biol Med*. 1988; 61 (2): 115-22.
- Marcos Toledano MM, Portilla Cuenca JC, Porrás Estrada LF, Gómez Perals L. Pseudo-emesis gravidarum caused by complicated cerebral venous angioma. *Neurologia*. 2006; 21 (2): 92-5.

- Marelli C, Piacentini S, Garavaglia B, Girotti F, Albanese A. Clinical and neuropsychological correlates in two brothers with pantothenate kinase-associated neurodegeneration. *Mov Disord.* 2005; 20 (2): 208-12.
- Marietan H, Berrettoni P. *Temas de Psiquiatría Clínica.* Buenos Aires: Editorial Salerno; 1994.
- Markx S, Kahn DA. An 18-year-old woman with new-onset suicidal ideation while being treated with atomoxetine. *J Psychiatr Pract.* 2008; 14 (1): 62-6.
- Martin JF, Vidas J, Baday A. Acute neurocysticercosis presenting as suicidal ideation. *Am J Emerg Med.* 2015; 33 (12): 1842.e3-5.
- Masmoudi K, Gras-Champel V, Bonnet I, Pannier M, Masson H, Rosa A, Andréjak M. Dementia and extrapyramidal problems caused by long-term valproic acid. *Therapie.* 2000; 55 (5): 629-34.
- Mason OJ, Morgan CJ, Stefanovic A, Curran HV. The psychotomimetic states inventory (PSI): measuring psychotic-type experiences from ketamine and cannabis. *Schizophr Res.* 2008; 103 (1-3): 138-42.
- Matlock KA, Yayah Jones NH, Corathers SD, Kichler JC. Clinical and Psychosocial Factors Associated With Suicidal Ideation in Adolescents With Type 1 Diabetes. *J Adolesc Health.* 2017; 61 (4): 471-7.
- Maurel H. *Le thème de protection et la pensée morbide.* Paris : L'Harmattan; 1998.
- Mayer-Gross W, Slater E, Roth M. *Clinical Psychiatry.* London: Cassell and company LTD; 1954.
- Mazumdar PK, Chaturvedi SK, Gopinath PS. A comparative study of thought disorder in acute and chronic schizophrenia. *Psychopathology.* 1995; 28 (4): 185-9.
- Mazumdar PK, Chaturvedi SK, Gopinath PS. A study of thought, language and communication (T.L.C) disorders in schizophrenia. *Indian J Psychiatry.* 1988; 30 (3): 263-74.
- McDougle CJ, Kresch LE, Goodman WK, Naylor ST, Volkmar FR, Cohen DJ, Price LH. A case-controlled study of repetitive thoughts and behavior in adults with autistic disorder and obsessive-compulsive disorder. *Am J Psychiatry.* 1995; 152 (5): 772-7.
- McGaffin BJ, Lyons GC, Deane FP. Self-forgiveness, shame, and guilt in recovery from drug and alcohol problems. *Subst Abus.* 2013; 34 (4): 396-404.
- McGlinchey JB, Zimmerman M, Young D, Chelminski I. Diagnosing major depressive disorder VIII-Are some symptoms better than others? *J. Nerv. Ment. Dis.* 2006; 194: 785-90.
- McGuire PK, Cope H, Fahy TA. Diversity of psychopathology associated with use of 3,4-methylenedioxymethamphetamine ('Ecstasy'). *Br J Psychiatry.* 1994; 165 (3): 391-5.
- McKay D, Neziroglu F, Yaryura-Tobias JA. Comparison of clinical characteristics in

- obsessive-compulsive disorder and body dysmorphic disorder. *J Anxiety Disord.* 1997; 11 (4): 447-54.
- McKeon A, Josephs KA, Klos KJ, Hecksel K, Bower JH, Michael Bostwick J, Eric Ahlskog J. Unusual compulsive behaviors primarily related to dopamine agonist therapy in Parkinson's disease and multiple system atrophy. *Parkinsonism Relat Disord.* 2007; 13 (8): 516-9.
- McKay R, Langdon R, Coltheart M. The persecutory ideation questionnaire. *J Nerv Ment Dis.* 2006; 194 (8): 628-31.
- McKenna PJ. Disorders with overvalued ideas. *Br J Psychiatry.* 1984; 145: 579-85.
- McKenzie DP, Clarke DM, Forbes AB, Sim MR. Pessimism, worthlessness, anhedonia, and thoughts of death identify DSM-IV major depression in hospitalized, medically ill patients. *Psychosomatics.* 2010; 51 (4): 302-11.
- McLaughlin JA, Sims A. Co-existence of the Capgras and Ekbom syndromes. *Br J Psychiatry.* 1984; 145: 439-41.
- McMahon RC, Davidson RS, Gersh D, Flynn P. A comparison of continuous and episodic drinkers using the MCMI, MMPI, and ALCEVAL-R. *J Clin Psychol.* 1991; 47 (1): 148-59.
- McMillan DE. A brief history of the neurobehavioral toxicity of manganese: some unanswered questions. *Neurotoxicology.* 1999; 20 (2-3): 499-507.
- McNamara P, Durso R. Reversible pathologic jealousy (Othello syndrome) associated with amantadine. *J Geriatr Psychiatry Neurol.* 1991; 4 (3): 157-9.
- McNeill IM, Dunlop PD, Skinner TC, Morrison DL. Predicting Risk-Mitigating Behaviors from Indecisiveness and Trait Anxiety: Two Cognitive Pathways to Task Avoidance. *J Pers.* 2016; 84 (1): 36-45.
- Medziavichius PA, Medziavichene V, Zhaliunas R. Electrophysiological and hemodynamic consequences of pacemaker syndrome. *Kardiologija.* 2005; 45 (9): 39-42.
- Mellings TM, Alden LE. Cognitive processes in social anxiety: the effects of self-focus, rumination and anticipatory processing. *Behav Res Ther.* 2000; 38 (3): 243-57.
- Melo S, Corcoran R, Shryane N, Bentall RP. The persecution and deservedness scale. *Psychol Psychother.* 2009; 82 (3): 247-60.
- Mendelson WB, Weingartner H, Greenblatt DJ, Garnett D, Gillin JC. A clinical study of flurazepam. *Sleep.* 1982; 5 (4): 350-60.
- Mendez MF, Shapira JS. The spectrum of recurrent thoughts and behaviors in frontotemporal dementia. *CNS Spectr.* 2008; 13 (3): 202-8
- Merriam-Webster, College Dictionary. Tenth Edition. Springfield: Merriam-Webster, Incorporated; 1998.

- Mester R, Pinals D. Comparing aspects of mental health legislation of Israel and Massachusetts. *Isr J Psychiatry Relat Sci.* 2004; 41 (2): 133-9.
- Meyer-König E, Riederer M, Schunk W. Psychopathology of senile dementias in nursing home residents. *Z Gerontol.* 1984; 17 (3): 113-6.
- Meyers BS, English J, Gabriele M, Peasley-Miklus C, Heo M, Flint AJ, Mulsant BH, Rothschild AJ; STOP-PD Study Group. A delusion assessment scale for psychotic major depression: Reliability, validity, and utility. *Biol Psychiatry.* 2006; 60 (12): 1336-42.
- Michael A, Joseph A, Pallen A. Delusions of pregnancy. *Br J Psychiatry.* 1994; 164 (2): 244-6.
- Michail M, Birchwood M. Social anxiety disorder in first-episode psychosis: incidence, phenomenology and relationship with paranoia. *Br J Psychiatry.* 2009; 195 (3): 234-41.
- Mikami K, Ohya A, Akasaka K, Matsumoto H. Attempted suicide of youth with Asperger's disorder. *Seishin Shinkeigaku Zasshi.* 2006; 108 (6): 587-96.
- Milberg A, Strang P, Jakobsson M. Next of kin's experience of powerlessness and helplessness in palliative home care. *Support Care Cancer.* 2004; 12 (2): 120-8.
- Miller M, Hemenway D. Guns and suicide in the United States. *N Engl J Med.* 2008; 359 (10): 989-991.
- Miller SC. Dextromethorphan psychosis, dependence and physical withdrawal. *Addict Biol.* 2005; 10 (4): 325-7,
- Mindham RHS. Psychiatric symptoms in Parkinsonism. *J Neurol Neurosurg Psychiat.* 1970; 33; 188-91.
- Mira y Lopez E. Compendio de psiquiatría. Buenos Aires: El Ateneo; 1958.
- Mira y López. Psiquiatría. Buenos Aires: Editorial el Ateneo; 1952.
- Mira y López. Psiquiatría. 4ª Ed. Buenos Aires: Editorial el Ateneo; 1955.
- Mira y López. Psiquiatría. Barcelona: Salvat Editores S.A; 1935.
- Mishara AL. Klaus Conrad (1905–1961): Delusional Mood, Psychosis, and Beginning Schizophrenia. *Schizophr Bull.* 2010; 36 (1): 9-13.
- Mishra, BN. Swain, SP. Psychiatric Morbidity Following Neurocysticercosis. *Indian J Psychiatry.* 2004; 46 (3): 267-8.
- Modell JG, Glaser FB, Cyr L, Mountz JM. Obsessive and compulsive characteristics of craving for alcohol in alcohol abuse and dependence. *Alcohol Clin Exp Res.* 1992; 16 (2): 272-4.
- Molina N, Viola M, Rogers M, Ouyang D, Gang J, Derry H, Prigerson HG. Suicidal Ideation in Bereavement: A Systematic Review. *Behav Sci (Basel).* 2019; 9 (5). pii: E53.

- Møller P, Husby R. The initial prodrome in schizophrenia--core dimensions of experience and behavior. *Tidsskr Nor Laegeforen*. 2003; 123 (17): 2425-9.
- Monasterio E, Mulder RT, Marshall TD. Obsessive-compulsive disorder in post-streptococcal infection. *Aust N Z J Psychiatry*. 1998; 32 (4): 579-81.
- Monchablon Espinoza A, Marietan H, Berrettoni P. *Temas de Psiquiatría Clínica*. Buenos Aires: Editorial Salerno; 1994.
- Monnet FP. Behavioural disturbances following Japanese B encephalitis. *Eur Psychiatry*. 2003; 18 (6): 269-73.
- Montross LP, Kasckow J, Golshan S, Solorzano E, Lehman D, Zisook S. Suicidal ideation and suicide attempts among middle-aged and older patients with schizophrenia spectrum disorders and concurrent subsyndromal depression. *Journal of Nervous and Mental Disease*. 2008; 196 (12): 884-890.
- Moreira S, Soares E, Tomaz G, Maranhão T, Azevedo G. Polycystic ovary syndrome: a psychosocial approach. *Acta Med Port*. 2010; 23 (2): 237-42.
- Morgan JP. American opiophobia: customary underutilization of opioid analgesics. *Adv Alcohol Subst Abuse*. 1985-1986; 5 (1-2): 163-73.
- Moretti M, Varga G. Psychosomatic dermatologic symptoms. *Orv Hetil*. 2000. 23; 141 (4): 169-72.
- Morgan M, Rapkin AJ, D'Elia L, Reading A, Goldman L. Cognitive functioning in premenstrual syndrome. *Obstet Gynecol*. 1996; 88 (6): 961-6.
- Moritz S, Meier B, Kloss M, Jacobsen D, Wein C, Fricke S, Hand I. Dimensional structure of the Yale-Brown Obsessive-Compulsive Scale (Y-BOCS). *Psychiatry Res*. 2002; 109 (2): 193-9.
- Morrens M, Hulstijn W, Lewi PJ, De Hert M, Sabbe BG. Stereotypy in schizophrenia. *Schizophr Res*. 2006; 84 (2-3): 397-404.
- Morselli E. *Manuale di Psichiatria*, 2a Ed. Nápoles: Casa Editrice Libreria Vittorio Idelson; 1921.
- Morton WA. Cocaine and Psychiatric Symptoms. *Prim Care Companion. J Clin Psychiatry*. 1999; 1 (4): 109-13.
- Moselhy HF: Lycanthropy: New Evidence of Its Origin. *Psychopathology*. 1999; 32: 173-6.
- Moss E. Treating the love-sick patient. *Isr J Psychiatry Relat Sci*. 1995; 32 (3): 167-73.
- Mula M, Cavanna AE, Critchley H, Robertson MM, Monaco F. Phenomenology of obsessive compulsive disorder in patients with temporal lobe epilepsy or tourette syndrome. *J Neuropsychiatry Clin Neurosci*. 2008; 20 (2): 223-6,
- Mula M, Sander JW. Suicidal ideation in epilepsy and levetiracetam therapy. *Epilepsy Behav*. 2007; 11 (1): 130-2.

- Mulhall JP, Bergmann LS. Ciprofloxacin-induced acute psychosis. *Urology*. 1995; 46 (1): 102-3.
- Mulholland C, O'Hara AG: An Unusual Case of Delusional Misidentification: 'Delusional Hermaphroditism'. *Psychopathology*. 1999; 32: 220-4.
- Mullen R, Linscott RJ. A comparison of delusions and overvalued ideas. *J Nerv Ment Dis*. 2010; 198 (1): 35-8.
- Müller EI. Disturbances of the body image: a cultural and historical comparison between the glass delusion and body dysmorphic disorder. *Tijdschr Psychiatr*. 2017; 59 (12): 759-66.
- Mullins S, Spence SA. Re-examining thought insertion. Semi-structured literature review and conceptual analysis. *Br J Psychiatry*. 2003; 182: 293-8.
- Mullins LS, Kopelman RE. Toward an assessment of the construct validity of four measures of narcissism. *J Pers Assess*. 1988; 52 (4): 610-25.
- Murphy P, Jayakumar PN, Sampat S. Of insects and eggs: a case report. *J Neurol Neurosurg Psychiatry*. 1997; 63 (4): 522-3.
- Nader PR, Bullock D, Caldwell B. School phobia. *Pediatr Clin North Am*. 1975; 22 (3): 605-17.
- Narayan M, Meckler L, Nelson JC. Fluoxetine-induced delusions in psychotic depression. *J Clin Psychiatry*. 1995; 56 (7): 329.
- Nejad AG. Belief in transforming another person into a wolf: could it be a variant of lycanthropy? *Acta Psychiatr Scand*. 2007; 115 (2): 159-61.
- Neisser A. Krankenvorstellung (Fall von 'asymbolie'). *Allgemeine Zeitschrift Für Psychiatrie*. 1895; 51: 1016-21.
- Nel M, Schoeman JP, Lobetti RG. Delusions of parasitosis in clients presenting pets for veterinary care. *J S Afr Vet Assoc*. 2001; 72 (3): 167-9.
- Nelson B, Sass LA. The phenomenology of psychotic break and Huxley's trip: Substance use and the Honest of psychosis. *Psychopathology*. 2008; 41: 346-55.
- Newsom-Davis I, Goldstein LH, Fitzpatrick D. Fear of seizures: an investigation and treatment. *Seizure*. 1998; 7 (2): 101-6.
- Newth S, Rachman S. The concealment of obsessions. *Behav Res Ther*. 2001; 39 (4): 457-64.
- Neziroglu F, McKay D, Yaryura-Tobias JA, Stevens KP, Todaro J. The Overvalued Ideas Scale: development, reliability and validity in obsessive-compulsive disorder. *Behav Res Ther*. 1999; 37 (9): 881-902.
- Ng KP, Richard-Devantoy S, Bertrand JA, Jiang L, Pascoal TA, Mathotaarachchi S, Therriault J, Yatawara C, Kandiah N, Greenwood CMT, Rosa-Neto P, Gauthier S; Dominantly Inherited Alzheimer Network. Suicidal ideation is common in

- autosomal dominant Alzheimer's disease at-risk persons. *Int J Geriatr Psychiatry*. 2020; 35 (1): 60-8.
- Nguyen CM, Barrash J, Koenigs AL, Bechara A, Tranel D, Denburg NL. Decision-making deficits in normal elderly persons associated with executive personality disturbances. *Int Psychogeriatr*. 2013; 25 (11): 1811-9.
- Nicholas AP, Earnst KS, Marson DC. Atypical Hallervorden-Spatz disease with preserved cognition and obtrusive obsessions and compulsions. *Mov Disord*. 2005; 20 (7): 880-6.
- Niethammer R, Breitmaier J. Self-immolation as an effort of self-rescue during a psychotic episode. *Psychiatr Prax*. 2005; 32 (5): 252-4.
- Nifosì G. A particular case of iodine-induced hypothyroidism. *Minerva Endocrinol*. 1998; 23 (3): 93-7.
- Niler ER, Beck SJ. The relationship among guilt, dysphoria, anxiety and obsessions in a normal population. *Behav Res Ther*. 1989; 27 (3): 213-20.
- Nkam I, Cottureau MJ. Acute psychosis and Behçet's disease: a case report. *Encephale*. 2006; 32: 385-8.
- Nock MK, Borges G, Bromet EJ, Cha CB, Kessler RC, Lee S. Suicide and suicidal behavior. *Epidemiol Rev*. 2008; 30 (1): 133-154.
- Nolen-Hoeksema S. Responses to depression and their effects on the duration of depressive episodes. *Journal of Abnormal Psychology*. 1991; 100: 569-82.
- Nolen-Hoeksema S. The role of rumination in depressive disorders and mixed anxiety/depressive symptoms. *Journal of Abnormal Psychology*. 2000; 109: 504-11.
- Nolen-Hoeksema S, Parker L, Larson J. Ruminative coping with depressed mood following loss. *Journal of Personality and Social Psychology*. 1994; 67: 92-104.
- Notman MT, Nadelson CC. The rape victim: psychodynamic considerations. *Am J Psychiatry*. 1976; 133 (4): 408-13.
- Nović A, Kőlves K, O'Dwyer S, De Leo D. Migraine and Suicidal Behaviors: A Systematic Literature Review. *Clin J Pain*. 2016; 32 (4): 351-64.
- Nyirő G. Alelki mukodesek strukturalis szemlelete a reflexfolyamát alapjan. (Structural aspects of mental processes on the basis of reflex mechanisms). en: Gegesi Kiss P, Kardos L, Lenard F, Molnar I. *Psychologiai Tanulmányok (Studies in Psychology)*. Budapest: Akademiai Kiado; 1958.
- Nyirő GY. *Psychiatria*. Budapest: Medicina; 1962.
- Oates JK, Gomez J. Venereophobia. *Br J Hosp Med*. 1984; 31 (6): 435-6.
- Ochitill HN, Amberson J. Acute cerebral symptomatology, a rare presentation of scleromyxedema. *J Clin Psychiatry*. 1978; 39 (5): 471-5.

- Oliva EM. Delirio de dermatozoos de Ekbohm, en Monchablon Espinoza A. Marietán H. Berretoni P. Temas en psiquiatria clinica. Buenos Aires: Ed. Salerno; 1994
- Olley A, Malhi G, Sachdev P. Memory and executive functioning in obsessive-compulsive disorder: a selective review. *J Affect Disord.* 2007; 104 (1-3): 15-23.
- Oltmanns TF. Approaches to the Definition and Study of Delusions, en: Oltmanns TF, Maher BA. Delusional Beliefs. New York: Wiley; 1988.
- Opjordsmoen S. (2014). Delusional disorder as a partial psychosis. *Schizophrenia bulletin*, 40(2), 244–247. <https://doi.org/10.1093/schbul/sbt203>
- Ortega-Albás JJ, López-Bernabé R, García AL, Gómez JR. Suicidal ideation secondary to sodium oxybate. *J Neuropsychiatry Clin Neurosci.* 2010; 22 (3): 352r.e26-352.e2
- Ortigue S, Bianchi-Demicheli F. Intention, false beliefs, and delusional jealousy: Insights into the right hemisphere from neurological patients and neuroimaging Studies. *Med Sci Monit.* 2011; 17 (1): RA1–RA11.
- Oudard PA. Delire d’auto-accusation. Etude medico-legale. Bordeaux: Imprimerie du midi Paul Cassagnol; 1900.
- Owens R. Desarrollo del Lenguaje. España: Pearson; 2008.
- Oyebode, F, Davison, K. Epileptic schizophrenia: clinical features and outcome. *Acta Psychiatrica Scandinavica*, 1989: 79, 327-331.
- Oyebode F. Sims’ Symptoms of the Mind. An Introduction to Descriptive Psychopathology. 4th Ed. Edinburgh: Saunders Elsevier; 2008.
- Oyebode F, Sims’ Symptoms of the mind. Textbook of Descriptive Psychopathology. 5th Ed. Edinburgh: Saunders Elsevier; 2015.
- Ozaki S, Wada K. Amotivational syndrome in organic solvent abusers. *Nippon Yakurigaku Zasshi.* 2001; 117 (1): 42-8.
- Oztürk E, Sar V. Somatization as a predictor of suicidal ideation in dissociative disorders. *Psychiatry Clin Neurosci.* 2008; 62 (6): 662-8.
- Padhi, D., Shukla, P., & Chaudhury, S. (2021). Sociodemographic and clinical profile of cannabis-induced psychosis: A comparative study. *Industrial psychiatry journal*, 30(Suppl 1), S132–S139. <https://doi.org/10.4103/0972-6748.328804>
- Pai MC. Delusions and visual hallucinations in dementia patients: focus on personal history of the patients. *Tohoku J Exp Med.* 2008; 216 (1): 1-5.
- Pailhas B. États monomaniaques liés à une déviation de l’instinct de conservation de la propriété; leur intérêt au point de vue médico-légal. Paris: ALBI, Imprimerie Henri Amalric; 1895.
- Palmieri A, Sorarù G, Albertini E, Semenza C, Vottero-Ris F, D’Ascenzo C, Querin G, Zennaro A, Pegoraro E, Angelini C. Psychopathological features and suicidal

- ideation in amyotrophic lateral sclerosis patients. *Neurol Sci.* 2010; 31 (6): 735-40.
- Pashkovskii VE. Clinical features of messianic delusions in schizophrenic spectrum disorders. *Zh Nevrol Psikhiatr Im S S Korsakova.* 2006; 106 (4): 15-20.
- Patterson R, Walker CL, Greenberger PA, Sheridan EP. Prednisonephobia. *Allergy Proc.* 1989; 10 (6): 423-8.
- Pavlov IP. The scientific investigation of the psychological faculties or processes in higher animals. *Lancet.* 1906; 84: 911-5.
- Pawar AV, Spence SA. Defining thought broadcast. Semi-structured literature review. *Br J Psychiatry.* 2003; 183: 287-91.
- Paykel E. Classification Of Depressed Patients: A Cluster Analysis Derived Grouping. *Brit. J. Psychiat.* 1971; 118: 275-88.
- Payne RW. Thought disorder and retardation in schizophrenia. *Can Psychiatr Assoc J.* 1961; 6: 75-8.
- Pells J, Edwards CL, McDougald CS, Wood M, Barksdale C, Jonassaint J, Leach-Beale B, Byrd G, Mathis M, Harrison MO, Feliu M, Edwards LY, Whitfield KE, Rogers L. Fear of movement (kinesiophobia), pain, and psychopathology in patients with sickle cell disease. *Clin J Pain.* 2007; 23 (8) :707-13.
- Pennington CR, Cramer RJ, Miller HA, Anastasi JS. Psychopathy, depression, and anxiety as predictors of suicidal ideation in offenders. *Death Stud.* 2015; 39 (1-5): 288-95.
- Pénisson-Besnier I, Le Gall D, Dubas F. Obsessive-compulsive behavior (arithmomania). Atrophy of the caudate nuclei. *Rev Neurol (Paris).* 1992; 148 (4): 262-7.
- Penta E, Lasalvia A. Delusion of pregnancy in a drug-naïve young woman showing hyperprolactinemia and hypothyroidism: A case report. *Gen Hosp Psychiatry.* 2013; 35: 679.
- Peralta V, Cuesta MJ. Motor features in psychotic disorders. II. Development of diagnostic criteria for catatonia. *Schizophr Res.* 2001; 47 (2-3): 117-26.
- Perez L. The messianic idea and messianic delusion. *Ment Health Soc.* 1978; 5 (5-6): 266-74.
- Pereyra CR. *Semiología y psicopatología de los procesos de la esfera intelectual.* Buenos Aires: Editorial Salerno; 2000.
- Persinger MA, Valliant PM. Temporal lobe signs and reports of subjective paranormal experiences in a normal population: a replication. *Perceptual and Motor Skills.* 1985; 60: 903-9.
- Peters ER, Joseph SA, Garety PA. Measurement of delusional ideation in the normal population: introducing the PDI (Peters et al. Delusions Inventory). *Schizophr Bull.* 1999; 25 (3): 553-76.

- Peterson GA, Davis DL. A case of homosexual erotomania. *J Clin Psychiatry*. 1985; 46 (10): 448-9.
- Petho B, Ban TA. DCR Budapest-Nashville in the diagnosis and classification of functional psychoses. *Psychopathology*. 1988 released March 1989; 21: 153-240.
- Pfeifer S. Demonic Attributions in Nondelusional Disorders. *Psychopathology*. 1999; 32: 252-9.
- Pfuhlmann B. The concept of cycloid psychoses. Developments, clinical significance and the state of research. *Fortschr Neurol Psychiatr*. 1998; 66 (1): 1-9.
- Pfuhlmann B, Franzek E, Stöber G. Cataphasia: a by formal thought disorders and speech characteristics distinguished psychosis of the schizophrenic domain. *Nervenarzt*. 1998; 69 (3): 257-63.
- Phukan J, Pender NP, Hardiman O. Cognitive impairment in amyotrophic lateral sclerosis. *Lancet Neurol*. 2007; 6 (11): 994-1003.
- Piaget J. Le langage et la pensée chez l'enfant. Etudes sur la logique de l'enfant. Neuchâtel: Delachaux et Niestlé (Actualités pédagogiques et psychologiques); 1948.
- Pichot P, Berner P, Wolf R, Thau K. Psychiatry, The state of the art. Tomo 1. Clinica Psychopathology nomenclature and classification. New York: Plenum Press; 1978.
- Pietromonaco PR, Markus H. The nature of negative thoughts in depression. *J Pers Soc Psychol*. 1985; 48 (3): 799-807.
- Pillay BJ, Schlebusch L, Louw J. Illness behaviour in live-related and cadaver renal transplant recipients. *S Afr Med J*. 1992; 81 (8): 411-5.
- Pilver CE, Libby DJ, Hoff RA. Premenstrual dysphoric disorder as a correlate of suicidal ideation, plans, and attempts among a nationally representative sample. *Soc Psychiatry Psychiatr Epidemiol*. 2013; 48 (3): 437-46.
- Pitres A, Régis E. Semeiologie des Obsessions et Idées Fixes. Bordeaux: G. Gounouilhou, Imprimeur de la Faculté de Médecine; 1897.
- Platz, W. E., Oberlaender, F. A., & Seidel, M. L. (1995). The phenomenology of perceptual hallucinations in alcohol-induced delirium tremens. *Psychopathology*, 28(5), 247–255. <https://doi.org/10.1159/000284935>
- Podoll K, Habermeyer E, Nöller B, Ebel H, Sass H. The internet as a delusional topic in paranoid schizophrenia. *Nervenarzt*. 2000; 71 (11): 912-4.
- Poliakov IF, Meleshko TK, Aleïnikova SM. Features of thought formation in schizophrenic children. *Zh Nevropatol Psikhiatr Im S S Korsakova*. 1979; 79 (12): 1723-8.
- Pollit J. Natural history of Obsessional States. A study of 150 cases. *Br Med J*. 1957; 1: 194-8.

- Pompili M, Venturini P, Campi S, Seretti ME, Montebovi F, Lamis DA, Serafini G, Amore M, Girardi P. Do stroke patients have an increased risk of developing suicidal ideation or dying by suicide? An overview of the current literature. *CNS Neurosci Ther.* 2012; 18 (9): 711-21.
- Porot A. Manuel alphabetique de psychiatrie, clinique et therapeutique. 10^a Ed. Paris: Presses universitaires de France; 1960.
- Posner, K, Brown GK, Stanley B, Brent DA, Yershova KV, Oquendo MA, Currier GW, Melvin GA, Greenhill L, Shen S, Mann JJ. The Columbia-Suicide Severity Rating Scale: initial validity and internal consistency findings from three multisite studies with adolescents and adults. *Am. J. Psychiatry.* 2011; 168, 1266-77.
- Prasher VP, Day S. Brief report: obsessive-compulsive disorder in adults with Down's Syndrome. *J Autism Dev Disord.* 1995; 25 (4): 453-8.
- Prichard JC. A Treatise on Insanity and Other Disorders Affecting the Mind. Londres: Sherwood, Gilbert and Piper; 1835.
- Primi R, Almeida LS. Estudo de validação da Bateria de Provas de Raciocínio (BPR-5). *Psicologia: Teoria e Pesquisa.* 2000; 16 (2); 165-73.
- Prins H. Besieged by devils--thoughts on possession and possession states. *Med Sci Law.* 1992; 32 (3): 237-46.
- Prior M, Perry D, Gajzago C. Kanner's syndrome or early-onset psychosis: a taxonomic analysis of 142 cases. *J Autism Child Schizophr.* 1975; 5 (1): 71-80.
- Pryse-Phillips W. An olfactory reference syndrome. *Acta Psychiatr Scand.* 1971; 47 (4): 484-509.
- Przybylo HJ, Przybylo JH, Todd Davis A, Coté CJ. Acute psychosis after anesthesia: the case for antibiomania. *Paediatr Anaesth.* 2005; 15 (8): 703-5.
- Purdon C, Clark DA. Obsessive intrusive thoughts in nonclinical subjects. Part II. Cognitive appraisal, emotional response and thought control strategies. *Behav Res Ther.* 1994; 32 (4): 403-10.
- Qian Y, Sun L, Zhou C, Ge D, Zhang L. The association between suicidal ideation and sleep quality in elderly individuals: A cross-sectional study in Shandong, China. *Psychiatry Res.* 2017; 256: 453-45.
- Radhakrishnan R, Satheeshkumar G, Chaturvedi SK: Recurrent Delusions of Pregnancy in a Male. *Psychopathology.* 1999; 32: 1-4.
- Raja M. Did Mozart suffer from Asperger syndrome?. *J Med Biogr.* 2015; 23 (2): 84-92.
- Rajgadhi H, Gupta S, Malhotra SD, Thakor A, Patel P. Antidepressants triggering suicidal ideation: An area of concern. *Indian J Pharmacol.* 2016; 48 (6): 733-5.
- Ranjan S, Chandra PS, Gupta AK, Prabhu S. Clonal pluralization of self, relatives and others. *Psychopathology.* 2007; 40 (6): 465-7.

- Rao K, Gangadhar BN, Janakiramiah N: Lycanthropy in Depression: Two Case Reports. *Psychopathology*. 1999; 32: 169-72.
- Rapaport D. Organization and pathology of thought. New York. Columbia: University Press; 1951.
- Raschka LB. The incubus syndrome. A variant of erotomania. *Can J Psychiatry*. 1979; 24 (6): 549-53.
- Rathier MO, Baker WL. A review of recent clinical trials and guidelines on the prevention and management of delirium in hospitalized older patients. *Hosp Pract (Minneap)*. 2011; 39 (4): 96-106.
- Rawlings D, Freeman JL. A questionnaire for the measurement of paranoia/suspiciousness. *Br J Clin Psychol*. 1996; 35 (3): 451-61.
- Real Academia Española. Diccionario de la Lengua Española. Vigésimo primera edición. Madrid: Espasa Calpe S.A; 1992.
- Reddy J, Khanna S, Anand U, Banerjee A. Alprazolam-induced hypomania. *Aust N Z J Psychiatry*. 1996; 30 (4): 550-2.
- Redondo-Vergé L. Cognitive deterioration in Huntington disease. *Rev Neurol*. 2001; 32 (1): 82-5.
- Reed GF. Indecisiveness in obsessional-compulsive disorder. *Br J Soc Clin Psychol*. 1976; 15 (4): 443-5.
- Régis E. Médecine légale. Un cas de délire raisonnant de dépossession. *AMP*. 1896; 4: 229-39.
- Regis E. Tratado de psiquiatría traducido de la 4a Ed. Francesa por César Juarros. Madrid: Saturnino Calleja Fernandez; 1907.
- Reid T. An Inquiry into the Human Mind. Charleston: Etheridge; 1764.
- Reilly T M. Monosymptomatic hypochondriacal Psychosis: Presentation and Treatment *Proc R Soc Med*. 1977; 70 (Supl 10): 39-43.
- Reif A, Murach WM, Pfuhlmann B: Delusional Paralysis: An Unusual Variant of Cotard's Syndrome. *Psychopathology*. 2003; 36: 218-20.
- Reis, F., Pereira, C., Laureano, M., & Cartaxo, T. (2020). An Unusual Psychiatric Presentation of the 3q29 Microduplication Syndrome. *Cureus*, 12(3), e7203. <https://doi.org/10.7759/cureus.7203>
- Resch F. Magical thinking and self development. *Prax Kinderpsychol Kinderpsychiatr*. 1994; 43 (5): 152-6.
- Reynes E, Berthouze-Aranda SE, Guillet-Descas E, Chabaud P, Deflandre A. French validation of the Anger Rumination Scale. *Encephale*. 2013; 39 (5): 339-46.

- Reynolds M, Salkovskis PM. Comparison of positive and negative intrusive thoughts and experimental investigation of the differential effects of mood. *Behav Res Ther.* 1992; 30 (3): 273-81.
- Rh eaume J, Ladouceur R, Freeston MH, Letarte H. Inflated responsibility in obsessive compulsive disorder: validation of an operational definition. *Behav Res Ther.* 1995; 33 (2): 159-69.
- Ribacoba Montero R, Salas Puig J, Ferreiro Mart n D. Absence seizures in adulthood: four cases. *Neurologia.* 1994; 9 (1): 25-8.
- Ribot TH. Evolution of General Ideas. Chicago: The open court publishing company; 1899.
- Ribot TH. The Psychology of Emotions. London: Walter Scott, Ltd; 1897.
- Ricarte JJ, Aizpur a E, Ros L, Latorre JM, Raes F. Psychometric Properties of the Spanish Short Depressive Rumination Scale in a Nonclinical Sample. *Span J Psychol.* 2018; 21: E34.
- Ric n L. Phenomena of daily life and mental pathology. *Vertex.* 2001; 12 (43): 12-17.
- Ring M, Gysin-Maillart A. Patients' Satisfaction With the Therapeutic Relationship and Therapeutic Outcome Is Related to Suicidal Ideation in the Attempted Suicide Short Intervention Program (ASSIP). *Crisis.* 2020; 10: 1-7.
- Rissanen I, J askel inen E, Isohanni M, Koponen H, Ansakorpi H, Miettunen J. Use of antiepileptic or benzodiazepine medication and suicidal ideation--The Northern Finland Birth Cohort 1966. *Epilepsy Behav.* 2015; 46: 198-204.
- Rittinger O. Clinical aspects and genetics of Prader-Willi syndrome. *Klin Padiatr.* 2001; 213 (3): 91-8.
- Roberts J, Roberts R. Delusions of parasitosis. *Br Med J.* 1977; 1 (6070): 1219.
- Roberts G. 'Understanding Madness' en: Roberts G, Davenport S, Holloway F, Tattan T, editores. Enabling Recovery: The Principles and Practice of Rehabilitation Psychiatry. London: Gaskell; 2006.
- Robertson MM. The Gilles de la Tourette syndrome and obsessional disorder. *Int Clin Psychopharmacol.* 1991; 6 (3): 69-82.
- Robertson MM, Shelley BP, Dalwai S, Brewer C, Critchley HD. A patient with both Gilles de la Tourette's syndrome and chromosome 22q11 deletion syndrome: clue to the genetics of Gilles de la Tourette's syndrome?. *J Psychosom Res.* 2006; 61 (3): 365-8.
- Robinot C. Essai sur le d lire de culpabilit . Nancy: Paul Sordoillet; 1888.
- Robins Wahlin TB. To know or not to know: a review of behaviour and suicidal ideation in preclinical Huntington's disease. *Patient Educ Couns.* 2007; 65 (3): 279-87.
- Rodero B, Casanueva B, Garc a-Campayo J, Roca M, Magall n R, del Hoyo YL. Stages

of chronicity in fibromyalgia and pain catastrophising: a cross-sectional study. *BMC Musculoskelet Disord.* 2010; 11: 251.

Roelofs J, Muris P, Huibers M, Peeters F, Arntz A. On the measurement of rumination: a psychometric evaluation of the ruminative response scale and the rumination on sadness scale in undergraduates. *J Behav Ther Exp Psychiatry.* 2006; 37 (4): 299-313.

Roesch-Ely D, Spitzer M, Weisbrod M. Cognitive inhibition and thought disorder in schizophrenia. *Psychopathology.* 2003; 36 (1): 23-32.

Rogel-Ortiz FJ. Autism. *Gac Med Mex.* 2005; 141 (2): 143-7.

Rogers RD, Tunbridge EM, Bhagwagar Z, Drevets W, Sahakian BJ, Carter CS. Tryptophan depletion alters the decision-making of healthy volunteers through altered processing of reward cues. *Neuropsychopharmacology.* 2003; 28: 153-62.

Roh SC, Kim JS, Kim S, Kim Y, Lee SH. Frontal Alpha Asymmetry Moderated by Suicidal Ideation in Patients with Major Depressive Disorder: A Comparison with Healthy Individuals. *Clin Psychopharmacol Neurosci.* 2020; 18 (1): 58-66.

Rohland BM, Carroll BT, Jacoby RG. ECT in the treatment of the catatonic syndrome. *J Affect Disord.* 1993; 29 (4): 255-61.

Rohr W. Obsessive behavior and thoughts in patients with myasthenia gravis. *Schweiz Arch Neurol Psychiatr.* 1992; 143 (2): 105-15.

Ron IG, Inbar MJ, Barak Y, Stier S, Chaitchik S. Organic delusional syndrome associated with tamoxifen treatment. *Cancer.* 1992; 69 (6): 1415-7.

Rosenthal R. Visual hallucinations and suicidal ideation attributed to isosorbide dinitrate. *Psychosomatics.* 1987; 28 (10): 555-6.

Rossi Monti M. Whatever Happened to Delusional Perception?. *Psychopathology* 1998; 31: 225-33.

Rössner V. A New Classification of the Delusional Misidentification Syndromes.^[1]_[SEP] *Psychopathology.* 2002; 35: 3-7.

Rosso SM, Roks G, Stevens M, de Koning I, Tanghe HLJ, Kamphorst W, Ravid R, Niermeijer MF, van Swieten JC. Complex compulsive behaviour in the temporal variant of frontotemporal dementia. *J Neurol.* 2001; 248 (11): 965-70.

Rotondo M, Natale M, D'Avanzo R, Scuotto A. Olfactory Delusional Syndrome and Intracranial Meningioma. *Case Rep Med.* 2011; 2011: 395106.

Rouillon F, Phillips R, Serrurier D, Ansart E, Gérard MJ. Recurrence of unipolar depression and efficacy of maprotiline. *Encephale.* 1989; 15: 527-34.

Roy JR. Organic Brain Syndromes: Conditions of Acquired Intellectual Deficit. *Can Fam Physician.* 1979; 25: 1351-6.

- Royuela Rico A, Gil-Verona JA, Macías Fernández JA. A case of obsessive symptoms in Huntington's disease. *Actas Esp Psiquiatr.* 2003; 31 (6): 367-70.
- Rudaleviciene P, Stompe T, Narbekovas A. Apocalyptic delusions. *European Psychiatry.* 2013; 28 (1): 1.
- Rufino KA, Viswanath H, Wagner R, Patriquin MA. Body dissatisfaction and suicidal ideation among psychiatric inpatients with eating disorders. *Compr Psychiatry.* 2018; 84: 22-5.
- Saito M, Iwata N, Kawakami N, Matsuyama Y, Ono Y, Nakane Y, Nakamura Y, Tachimori H, Uda H, Nakane H, Watanabe M, Naganuma Y., Furukawa T.A, Hata Y, Kobayashi M, Miyake Y, Takeshima T, Kikkawa T, World Mental Hlth J. Evaluation of the DSM-IV and ICD-10 criteria for depressive disorders in a community population in Japan using item response theory. *Int. J. Methods Psychiatr. Res.* 2010; 19: 211-22.
- Saito T, Sekito Y, Ikeda N, Taniguchi E, Kadowaki I, Ashizawa T. A case report of volatile solvent psychosis. *Nihon Arukoru Yakubutsu Igakkai Zasshi.* 1996; 31 (5): 475-82.
- Salavert J, Berrospi M, Miralles ML, Dueñas RM, Tiffon ML, San Molina L. El trastorno delirante. Revisando los aspectos de la paranoia. *Rev Psiquiatría Fac Med Barna.* 2003; 30 (6): 304-13.
- Salmon-Rousseau A, Hilly D. Abortion and guilt. *Soins.* 1998; (626): 26-7.
- Salmons PH, Clarke DJ. Cacodemonomania. *Psychiatry.* 1987; 50 (1): 50-4.
- Salvatore P, Bhuvaneshwar CH, Tohen M, Khalsa HK, Maggini C, Baldessarini RJ. Capgras Syndrome in First-Episode Psychotic Disorders. *Psychopathology.* 2014; 47 (4): 261-9.
- Sampath G, Kumar YV, Channabasavanna SM, Keshavan MS. Alcoholic hallucinosis and paranoid schizophrenia-a comparative (clinical and follow up) study. *Indian J Psychiatry.* 1980; 22 (4): 338-42.
- Sanati M, Mojtabai R. Capgras' syndrome and the Mignon delusion. *Am J Psychiatry.* 1992; 149 (5): 709-10.
- Sandhu JK, Wu KK, Bui TL, Armstrong AW. Association Between Atopic Dermatitis and Suicidality: A Systematic Review and Meta-analysis. *JAMA Dermatol.* 2019; 155 (2): 178-87.
- Santín JM, Gálvez FM. Overvalued ideas: psychopathologic issues. *Actas Esp Psiquiatr.* 2011; 39 (1): 70-4.
- Sarai SK, Abaid B, Lippmann S. Guns and Suicide: Are They Related?. *Prim Care Companion CNS Disord.* 2017;19(6):17br02116.
- Sarid O, Isralowitz R, Yehudai M, Reznik A. Suicidal Ideation Among Heroin-Abusing Mothers in Methadone Maintenance Treatment. *Crisis.* 2016; 37 (6): 461-4.
- Sarró S. En defensa de la parafrenia. *Rev Psiquiatría Fac Med Barna* 2005; 32 (1): 24-

9.

- Sartorius N, Jablensky A, Gulbinat W, Ernberg G. WHO collaborative study-assessment of depressive disorders. *Psychol. Med.* 1980; 10: 743-9.
- Sasaki J, Wada K, Tanno Y. Understanding egorrhea from cultural-clinical psychology. *Front Psychol.* 2013; 28; (4): 894.
- Sato T, Bottlender R, Kleindienst N, Möller HJ. Irritable psychomotor elation in depressed inpatients: a factor validation of mixed depression. *J Affect Disord.* 2005; 84 (2-3): 187-96.
- Satoh S, Obata S, Seno E, Okada T, Morita N, Saito T, Yoshikawa M, Yamagami A. A case of possessive state with onset influenced by 'door-to-door' sales. *Psychiatry Clin Neurosci.* 1996; 50 (6): 313-6.
- Saygin C, Uzunaslán D, Hatemi G, Hamuryudan V. Suicidal ideation among patients with Behçet's syndrome. *Clin Exp Rheumatol.* 2015; 33 (6 Supl 94): S30-5.
- Scharfetter C. General psychopathology. Cambridge. Cambridge: University Press; 1980.
- Schatzberg AF, Rothschild AJ. Psychotic (delusional) major depression: should it be included as a distinct syndrome in DSM-IV? *Am J Psychiatry.* 1992; 149 (6): 733-45.
- Schätzle M. A remarkable case of folie à deux. *Nervenarzt.* 2002; 73 (11): 1100-4.
- Schendel E, Kourany RF. Cacodemonomania and exorcism in children. *J Clin Psychiatry.* 1980; 41 (4): 119-23.
- Schmid-Siegel B, Stompe T, Ortwein-Swoboda G. Being a Webcam. *Psychopathology.* 2004; 37: 84-5.
- Schmidt AJ. Does 'mental kinesiphobia' exist?. *Behav Res Ther.* 2003; 41 (10): 1243-9.
- Schmidt RE, Harvey AG, Van der Linden M. Cognitive and affective control in insomnia. *Front Psychol.* 2011; 349 (2): 1-11.
- Schmitz EB, Moriarty J, Costa DC, Ring HA, Ell PJ, Trimble MR. Psychiatric profiles and patterns of cerebral blood flow in focal epilepsy: interactions between depression, obsessionality, and perfusion related to the laterality of the epilepsy. *J Neurol Neurosurg Psychiatry.* 1997; 62 (5): 458-63.
- Schneiders C. Die Psychologie der Schizophrenen und ihre Bedeutung für die Klinik der Schizophrenie. Leipzig: Thieme; 1930.
- Schneider K. Conferencias Psiquiátricas para Médicos. Madrid: Editorial Pace; 1942.
- Schneider K. Psicopatología clínica. Madrid: Fundación de archivos de neurobiología; 1997.
- Schneider K. Sobre el Delirio. Buenos Aires: Editorial Salerno; 2010.
- Schneider K. The concept of Delusion. Hirsch SR, Shepherd M. En Themes and

- Variations in European Psychiatry. Charlottesville: The University Press of Virginia; 1974.
- Schneider K. Zum begriff des wahns. 1949, Fortschr neurol Psychiat. 17 :26-31. En Hirsch S. Themes and variations in european psychiatry, an anthology. Charlottesville: University press of Virginia; 1974.
- Schwartzman CM, Boisseau CL, Sibrava NJ, Mancebo MC, Eisen JL, Rasmussen SA. Symptom subtype and quality of life in obsessive-compulsive disorder. *Psychiatry Res.* 2017; 249: 307-10.
- Scoufis P, Walker M. Heavy drinking and the need for power. *J Stud Alcohol.* 1982; 43 (9): 1010-9.
- Seebacher C. Mycophobia--a new disease? *Mycoses.* 1996; 39 (1): 30-2.
- Seeman MV. Pseudocyesis, delusional pregnancy, and psychosis: The birth of a delusion. *World J Clin Cases.* 2014; 2: 338-44.
- Séglas J. en Ballet G. Traité de pathologie mentale. Paris. Octave Doin. 1903. pp. 195-222.
- Séglas J. Alucinaciones Psíquicas y Pseudoalucinaciones Verbales. En Stagnaro JC. Alucinar y delirar. Buenos Aires: Editorial polemos; 1998.
- Séglas J. Des Troubles du langage chez les Aliénés. Paris: Rueff; 1892.
- Séglas J. Lecons Cliniques sur Les Maladies Mentales et Nerveuses. Editeur Meige H. Paris: Asselin & Houzeau; 1895.
- Sechenov I. Reflexes of the Brain. Cambridge: M.I.T. Press; 1965.
- Seiffge-Krenke I. Imaginary companions in adolescence: sign of a deficient or positive development. *J Adolesc.* 1997; 20 (2): 137-54.
- Séjourné N, Callahan S, Chabrol H. Miscarriage and feelings of guilt: a qualitative study. *J Gynecol Obstet Biol Reprod.* 2011; 40 (5): 430-6.
- Seki Y. Autochthonous recollection in early schizophrenia. *Seishin Shinkeigaku Zasshi.* 2003; 105 (1): 103-33.
- Selby EA, Yen S. Six-month trajectory of suicidal ideation in adolescents with borderline personality disorder. *Suicide Life Threat Behav.* 2014; 44 (1): 89-100.
- Seligman ME. Helplessness. On Depression, Development and Death. San Francisco: W.H. Freeman and Company; 1975.
- Selmi W, Barili N. The Lasthénie de Ferjol syndrome. Description of a new clinical case. *Minerva Med.* 1983; 74 (5): 173-80.
- Selvaraj V, Ramaswamy S, Sharma A, Wilson D. New-onset psychosis and emergence of suicidal ideation with aripiprazole. *Am J Psychiatry.* 2010; 167 (12): 1535-6.
- Semel J. D. (1987). Complex partial status epilepticus presenting as fever of unknown origin. *Archives of internal medicine, 147(9), 1571–1572.*

- Serieux P, Capgras J. Les Folies Raisonantes. Le Délire D'interprétation. Paris: Félix Alcan Editeur; 1909.
- Sérieux P. Capgras J. Les folies raisonnantes, le délire d'interprétation. Paris: Balière; 1909.
- Serralonga J. Cardoner N. Pifarre J. Historia clínica en psiquiatría. Buenos Aires: Grafica Pinter SA; 1998.
- Serralonga J. Trastornos del pensamiento y lenguaje. En Vallejo Ruiloba J, Introducción a la psicopatología y la psiquiatría. 4ª edición. Madrid: Espasa Calpe; 1998.
- Serretti A, Jori MC, Casadei G, Ravizza L, Smeraldi E, Akiskal H. Delineating psychopathologic clusters within dysthymia: a study of 512 out-patients without major depression. *J Affect Disord.* 1999; 56 (1): 17-25.
- Shahani L. Tetrabenazine and suicidal ideation. *J Neuropsychiatry Clin Neurosci.* 2013; 25 (1): E30.
- Shakya DR, Shyangwa PM, Pandey AK, Subedi S, Yadav S. Self injurious behavior in temporal lobe epilepsy. *JNMA J Nepal Med Assoc.* 2010; 49 (179): 239-42.
- Shapiro J, Franko DL, Gagne A. Phagophobia: a form of psychogenic dysphagia. A new entity. *Ann Otol Rhinol Laryngol.* 1997; 106 (4): 286-90,
- Shear MK, Skritskaya NA. Bereavement and anxiety. *Curr. Psychiatry Rep.* 2012; 14: 169-175.
- Shiwach RS, Dudley AF. Delusional pregnancy with polydipsia: A case report. *J Psychosom Res.* 1997; 42: 477-80.
- Sheehan, D. V., Lecrubier, Y., Sheehan, K. H., Amorim, P., Janavs, J., Weiller, E., Hergueta, T., Baker, R., & Dunbar, G. C. (1998). The Mini-International Neuropsychiatric Interview (M.I.N.I.): the development and validation of a structured diagnostic psychiatric interview for DSM-IV and ICD-10. *The Journal of clinical psychiatry*, 59 Suppl 20, 22–57.
- Shoji H. (2010). *Brain and nerve = Shinkei kenkyu no shinpo*, 62(8), 853–860.
- Shternberg EIa, Piatnitskiĭ AN, Kontsevoi VA. So-called small-scope delusions. *Zh Nevropatol Psikhiatr Im S S Korsakova.* 1979; 79 (4): 433-7.
- Shufman NE, Witztum E, Vass A. Ephedrine psychosis. *Harefuah.* 1994; 127 (5-6): 166-8, 215-
- Siegel RK. Cocaine hallucinations. *Am J Psychiatry.* 1978; 135: 309-14.
- Signer, SF. Capgras's Syndrome With Sensory Loss Associated. *West J Med.* 1990; 152: 719-20.
- Signer SF, Cummings JL, De Clerambault's syndrome with organic and affective components: two cases. *Br J Psychiatry.* 1987; 151: 853-5.

- Signer SF. Localization and lateralization in the delusion of substitution. Capgras symptom and its variants. *Psychopathology*. 1994; 27: 168-76.
- Signer SF. "Les Psychoses Passionnelles" Reconsidered: A Review of de Clerambault's Cases and Syndrome with Respect to Mood Disorders. *J Psychiatr Neurosci*. 1991. 16 (2): 81-90.
- Silva J.A. Leong GB. A case of subjective Fregoli syndrome. *J Psychiatr Neurosci*. 1991; 16, (2): 103-5.
- Silva JA, Leong GB, Penny G: Delusion of sexual transformation as delusional misidentification syndrome. *Can J Psychiatry*. 1998; 43: 956-7.
- Silva JA, Leong GB. The Capgras' syndrome in paranoid schizophrenia. *Psychopathology*. 1992; 25: 147-53.
- Silva JA, Leong GB, Wine DB. Misidentification delusions, facial misrecognition, and right brain injury. *Can J Psychiatry*. 1993; 38 (4): 239-41.
- Simon M, Vörös V, Herold R, Fekete S, Tényi T. Post-partum delusion of pregnancy: an integrated view. *Neuropsychopharmacol Hung*. 2009; 11 (2): 103-10.
- Simpson GK, Tate RL. Preventing suicide after traumatic brain injury: implications for general practice. *Med J Aust*. 2007; 187 (4): 229-32.
- Singer L, Arendt R, Minnes S, Farkas K, Yamashita T, Kliegman R. Increased psychological distress in post-partum, cocaine-using mothers *J Subst Abuse*. 1995; 7 (2): 165-74.
- Singh S. Adolescent salvia substance abuse. *Addiction*. 2007; 102 (5): 823-4.
- Singh S, Taylor C, Kornmehl H, Armstrong AW. Psoriasis and suicidality: A systematic review and meta-analysis. *J Am Acad Dermatol*. 2017; 77 (3): 425-440.e2.
- Sizaret P, Simon JP. Ectoparasites delusions in old age (Ekbom syndrome). *Encephale*. 1976; 2 (2): 165-75.
- Skitch SA, Abela JR. Rumination in response to stress as a common vulnerability factor to depression and substance misuse in adolescence. *J Abnorm Child Psychol*. 2008; 36 (7): 1029-45.
- Slodnjak V, Kos A, Yule W. Depression and parasuicide in refugee and Slovenian adolescents. *Crisis*. 2002; 23 (3): 127-32.
- Smith JM, Alloy LB, Abramson LY. Cognitive vulnerability to depression, rumination, hopelessness, and suicidal ideation: multiple pathways to self-injurious thinking. *Suicide Life Threat Behav*. 2006; 36 (4): 443-54.
- Smith JM, Alloy LB. A roadmap to rumination: a review of the definition, assessment, and conceptualization of this multifaceted construct. *Clin Psychol Rev*. 2009; 29 (2): 116-28.

- Smulevich AB, Volel BA, Romanov DV. Hypochondriasis as a personality pathology (to a problem of postaddictive hypochondriasis). *Zh Nevrol Psikhiatr Im S S Korsakova*. 2008; 108 (10): 4-12.
- Snowden JS, Rollinson S, Thompson JC, Harris JM, Stopford CL, Richardson AMT, Jones M, Gerhard A, Davidson YS, Robinson A, Gibbons L, Hu Q, DuPlessis D, Neary D, Mann DMA, Pickering-Brown SM. Distinct clinical and pathological characteristics of frontotemporal dementia associated with C9ORF72 mutations. *Brain*. 2012; 135 (3): 693–708.
- Snyder JW, Poe RO, Stubbins JF, Garrettson LK. Acute manic psychosis following the dermal application of N,N-diethyl-m-toluamide (DEET) in an adult. *J Toxicol Clin Toxicol*. 1986; 24 (5): 429-39.
- Sole Segarra J, Leonhard K. Manual de psiquiatría. Madrid: Ediciones Morata; 1953.
- Solyga VM, Western E, Solheim H, Hassel B, Kerty E. Posterior cortical atrophy. *Tidsskr Nor Laegeforen*. 2015; 135 (10): 949-52.
- Sollier Les hallucinations autoscopiques. *L'Année psychologique*. 1902; 9: 473-7.
- Solomon M, Ozonoff S, Carter C, Caplan R. Formal thought disorder and the autism spectrum: relationship with symptoms, executive control, and anxiety. *J Autism Dev Disord*. 2008; 38 (8): 1474-84.
- Somasundaram D, Thivakaran T, Bhugra D. Possession states in northern Sri Lanka. *Psychopatology*. 2008; 41: 245-53.
- Soo H, Sherman KA, Kangas M. Assessing rumination in response to illness: the development and validation of the Multidimensional Rumination in Illness Scale (MRIS). *J Behav Med*. 2014; 37 (4): 793-805.
- Sorene ED, Heras-Palou C, Burke FD. Self-amputation of a healthy hand: a case of body integrity identity disorder. *J Hand Surg Br*. 2006; 31 (6): 593-5.
- Sousa NMF. Rehabilitation in severe memory deficit: A case study. *Dement Neuropsychol*. 2017; 11 (2): 213-6.
- Spitzer M. On defining delusions. *Compr Psychiatry*. 1990; 31 (5): 377-97.
- Spitzer R, Endicott J, Robins E. Research Diagnostic Criteria (RDC) for a Selected Group of Functional Disorders. New York. New York State Psychiatric Institute, Biometrics Research. Traducido al español por Bueno JA, Gascón J, Gastó C, Sabanés F, Salamero M. Barcelona: Tarrasa; 1975.
- Srisurapanont M, Ali R, Marsden J, Sunga A, Wada K, Monteiro M. Psychotic symptoms in methamphetamine psychotic in-patients. *Int J Neuropsychopharmacol*. 2003; 6 (4): 347-52.
- Steinert T, Studemund H. Acute delusional parasitosis under treatment with ciprofloxacin. *Pharmacopsychiatry*. 2006; 39 (4): 159-60.
- Stip E, Truelle JL. Organic personality syndrome in multiple sclerosis and effect of stress on recurrent attacks. *Can J Psychiatry*. 1994; 39 (1): 27-33.

- Stack S. Media coverage as a risk factor in suicide. *J Epidemiol Community Health*. 2003; 57 (4): 238-40.
- Stroebe M, Stroebe W, Abakoumkin G. The broken heart: Suicidal ideation in bereavement. *Am. J. Psychiatry*. 2005; 162: 2178-80.
- Stuart GW, Malone V, Currie J, Klimidis S, Minas IH. Positive and negative symptoms in neuroleptic-free psychotic inpatients. *Schizophr Res*. 1995; 16 (3): 175-88.
- Stübner S, Grohmann R, Greil W, Zhang X, Müller-Oerlinghausen B, Bleich S, Rüther E, Möller HJ, Engel R, Falkai P, Toto S, Kasper S, Neyazi A. Suicidal Ideation and Suicidal Behavior as Rare Adverse Events of Antidepressant Medication: Current Report from the AMSP Multicenter Drug Safety Surveillance Project. *Int J Neuropsychopharmacol*. 2018; 21 (9): 814-21.
- Suchting R, Vincent JN, Lane SD, Green CE, Schmitz JM, Wardle MC. Using a data science approach to predict cocaine use frequency from depressive symptoms. *Drug Alcohol Depend*. 2019; 194: 310-7.
- Süllwold F. Inhibited thinking as normal psychological phenomena. *Z Exp Angew Psychol*. 1991; 38 (4): 669-846.
- Sullivan MA, Nunes EV. New-onset mania and psychosis following heroin detoxification and naltrexone maintenance. *Am J Addict*. 2005; 14 (5): 486-7.
- Sullivan MJ, Lynch ME, Clark AJ. Dimensions of catastrophic thinking associated with pain experience and disability in patients with neuropathic pain conditions. *Pain*. 2005; 113 (3): 310-15.
- Summers D. Believing your husband has been replaced by an impostor because you have a pituitary tumour. *Brit Med J*. 1984; 289: 699-700.
- Surrence K, Miranda R, Marroquín BM, Chan S. Brooding and reflective rumination among suicide attempters: cognitive vulnerability to suicidal ideation. *Behav Res Ther*. 2009; 47 (9): 803-8.
- Sveen J, Pohlkamp L, Kreicbergs U, Eisma MC. Rumination in bereaved parents: Psychometric evaluation of the Swedish version of the Utrecht Grief Rumination Scale (UGRS). *PLoS One*. 2019 Mar 19;14(3):e0213152.
- Swedo SE, Rapoport JL, Cheslow DL, Leonard HL, Ayoub EM, Hosier DM, Wald ER. High prevalence of obsessive-compulsive symptoms in patients with Sydenham's chorea. *Am J Psychiatry*. 1989; 146 (2): 246-9.
- Swillen A, Glorieux N, Peeters M, Fryns JP. The Coffin-Siris syndrome: data on mental development, language, behavior and social skills in 12 children. *Clin Genet*. 1995; 48 (4): 177-82.
- Szalai J. (2021). The potential use of artificial intelligence in the therapy of borderline personality disorder. *Journal of evaluation in clinical practice*, 27(3), 491–496. <https://doi.org/10.1111/jep.13530>
- Takeda M, Tanino S, Nishinuma K, Matsubayashi T, Yamashita S, Nishimura T. A case

- of hypophyseal prolactinoma with treatable delusions of dermatozoiiasis. *Acta Psychiatr Scand.* 1985; 72 (5): 470-5.
- Tamburini A. Sulla pazzia del dubbio con timore del contatto. *Rivista Sperimentale di Freniatria.* 1880; IX: 75.
- Tani M, Iwanami A. Disorder of train of thought in the elderly. *Nihon Rinsho.* 2013; 71 (10): 1793-7.
- Tateyama M. "Delusion of world destruction" (Wetzel). Comparative study between Japan and West Germany. *Psychopathology.* 1989; 22 (6): 289-94.
- Tartaglia MC, Kertesz A, Ang LC. Delusions and hallucinations in frontotemporal dementia: a clinicopathologic case report. *Cogn Behav Neurol.* 2008; 21 (2): 107-10.
- Tauil CB, Grippe TC, Dias RM, Dias-Carneiro RPC, Carneiro NM, Aguilar ACR, Silva FMD, Bezerra F, Almeida LK, Massarente VL, Giovannelli EC, Tilbery CP, Brandão CO, Santos LMB, Santos-Neto LD. Suicidal ideation, anxiety, and depression in patients with multiple sclerosis. *Arq Neuropsiquiatr.* 2018; 76 (5): 296-301.
- Taylor MA. The neuropsychiatric mental Status Examination. New York: Spectrum publications; 1981.
- Taylor MA, Abrams R. Acute mania. Clinical and genetic study of responders and nonresponders to treatments. *Arch Gen Psychiatry.* 1975; 32 (7): 863-5.
- Taylor MA, Redfield J, Abrams R. Neuropsychological dysfunction in schizophrenia and affective disease. *Biol Psychiatry.* 1981; 16 (5): 467-78.
- Taylor MA, Vaidya NA. Descriptive Psychopathology. The signs and symptoms of behavioral disorders. Cambridge: Cambridge University Press; 2009.
- Teismann T, Lukaschek K, Hiller TS, Breitbart J, Brettschneider C, Schumacher U, Margraf J, Gensichen J; Jena Paradies Study Group. Suicidal ideation in primary care patients suffering from panic disorder with or without agoraphobia. *BMC Psychiatry.* 2018; 18 (1): 305.
- Tényi T, Herold R, Fekete S, Kovács A, Trixler M: Coexistence of Delusions of Pregnancy and Infestation in a Male. *Psychopathology.* 2001; 34: 215-6.
- Teunisse JP, Krebbers FT, Palmen A, van der Sijde A, Aerts FH, Mommersteeg MC, Berger HJ. Cognitive predictors of social improvement in adolescents with autism spectrum-disorders. *Tijdschr Psychiatr.* 2007; 49 (2): 65-74.
- Thacore VR, Shukla SR. Cannabis psychosis and paranoid schizophrenia. *Arch Gen Psychiatry.* 1976; 33 (3): 383-6.
- Thobois S, Jouanneau E, Bouvard M, Sindou M. Obsessive-compulsive disorder after unilateral caudate nucleus bleeding. *Acta Neurochir (Vienna).* 2004; 146 (9): 1027-31.
- Thomas Antérion C, Convers P, Desmales S, Borg C, Laurent B. An odd manifestation

of the Capgras syndrome: loss of familiarity even with the sexual partner. *Neurophysiol Clin.* 2008; 38 (3): 177-82.

- Thomas J, Bentall RP. Hypomanic traits and response styles to depression. *Br J Clin Psychol.* 2002; 41 (3): 309-13.
- Timkova V, Nagyova I, Reijneveld SA, Tkacova R, Stewart RE, van Dijk JP, Bültmann U. Suicidal ideation in patients with obstructive sleep apnoea and its relationship with disease severity, sleep-related problems and social support. *J Health Psychol.* 2018: 1359105318758859.
- Timlett A. Controlling Bizarre Delusions. *Schizophr Bull.* 2013; 39 (2): 244-6.
- Todd J, Dewhurst K. The significance of the Doppelgänger (hallucinatory double) in folk-lore and neuro-psychiatry. *Practitioner.* 1962; 188: 377-382.
- Todd J. Trichlorethylene poisoning with paranoid psychosis and Lilliputian hallucination. *Br Med J.* 1954; 20 (1): 439-440.
- Torres AR, Dedomenico AM, Crepaldi AL, Miguel EC. Obsessive-compulsive symptoms in patients with panic disorder. *Compr Psychiatry.* 2004; 45 (3): 219-24.
- Tran TM, Browning J, Dell M. Psychosis with paranoid delusions alter a therapeutic dose of mefloquine. *Malaria J.* 2006; 5 (74): 1-5.
- Triantafyllou NI, Gatzonis S, Kararizou E, Papageorgiou CC. Patterns of depressive symptoms in epilepsy. *Arq Neuropsiquiatr.* 2013; 71 (4): 213-5.
- Tribolet S, Shahidi M. Nouveau Précis de Sémiologie des troubles psychiques. Paris: Editions Heures de France; 2005.
- Troop NA, Holbrey A, Treasure JL. Stress, coping, and crisis support in eating disorders. *Int J Eat Disord.* 1998; 24 (2): 157-66.
- Truelle JL, Palisson E, Le Gall D, Stip E, Derouesne C. Intellectual and mood disorders in multiple sclerosis. *Rev Neurol (Paris).* 1987; 143 (8-9): 595-601.
- Tsuda H. Toward an understanding of the “indecisiveness” of the schizophrenic patients. *Seishin Shinkeigaku Zasshi.* 1998; 100 (5): 291-311.
- Tullett GL. Delusions of parasitosis. *Br J Dermatol.* 1965; 77 (8): 448-55.
- Turner TH, Cookson J C, Wass J A H, Drury P L, Price P A, Besser G M. Psychotic reactions during treatment of pituitary tumours with dopamine agonists *Br Med J.* 1984; (289): 1001-3.
- Ulhaq, I., & Abba-Aji, A. (2012). Haloperidol induced obsessive compulsive symptom (OCS) in a patient with learning disability and bipolar affective disorder. *BMJ case reports*, 2012, bcr1120115161. <https://doi.org/10.1136/bcr.11.2011.5161>
- Ungvari GS, Goggins W, Leung SK, Lee E, Gerevich J. Schizophrenia with prominent catatonic features ('catatonic schizophrenia') III. Latent class analysis of the

catatonic syndrome. *Prog Neuropsychopharmacol Biol Psychiatry*. 2009; 33 (1): 81-5.

US Food and Drug Administration, Center for Drug Evaluation and Research: FDA Public Health Advisory: Worsening Depression and Suicidality in Patients Being Treated with Antidepressant Medications. 2004. Mar 22, [accedido en 01 Nov 2016]. Extraído de:
<http://www.fda.gov/cder/drug/antidepressants/AntidepressantPHA.htm> .

US Food and Drug Administration, Center for Drug Evaluation and Research: FDA Public Health Advisory. Feb 05 2007. [accedido en 29 Enero 2020].
<https://wayback.archive-it.org/org1137/20170405235826/https://www.fda.gov/Drugs/DrugSafety/InformationbyDrugClass/ucm096273.htm>

US Food and Drug Administration, Center for Drug Evaluation and Research: FDA Public Health Advisory. Jun 30 2005. [accedido en 29 Enero 2020].
<https://wayback.archive-it.org/org-1137/20170406044744/https://www.fda.gov/Drugs/DrugSafety/PostmarketDrugSafetyInformationforPatientsandProviders/ucm053169.htm>

Vallejo Nágera A. Tratado de psiquiatría 2ª Ed. Barcelona: Salvat editores S.A; 1949.

van Randenborgh A, de Jong-Meyer R, Hüffmeier J. Rumination fosters indecision in dysphoria. *J Clin Psychol*. 2010; 66 (3): 229-48.

Valtonen H, Suominen K, Mantere O, Leppämäki S, Arvilommi P, Isometsä ET. Suicidal ideation and attempts in bipolar I and II disorders. *J Clin Psychiatry*. 2005; 66 (11): 1456-62.

Van Rijn S, Aleman A, De Sonneville L, Swaab H. Cognitive mechanisms underlying disorganization of thought in a genetic syndrome (47,XXY). *Schizophr Res*. 2009; 112 (1-3): 91-8.

Vandeweerd C, Paveza GJ, Fulmer T. Abuse and neglect in older adults with Alzheimer's disease. *Nurs Clin North Am*. 2006; 41 (1): 43-55.

Vanwing V, Schevenels S, Klockaerts C, Danckaerts M. Psychotic symptoms as a side-effect of omeprazole. *Tijdschr Psychiatr*. 2018; 60 (12): 834-7.

Vasil'ev VD. Delusions of poisoning in schizophrenia with Kandinsky-Clérambault syndrome (clinical and forensic-psychiatric evaluation). *Zh Nevropatol Psikiatr Im S S Korsakova*. 1990; 90 (7): 71-3.

Vasiliadis HM, Lamoureux-Lamarche C, Pitrou I, Berbiche D. Sex differences in type of lifetime trauma and suicidal ideation mediated by post-traumatic stress and anxiety-depressive disorders in older adults. *Int Psychogeriatr*. 2019; 23: 1-11.

Veale D. Over-valued ideas: a conceptual analysis. *Behav Res Ther*. 2002; 40 (4): 383-400.

- Vega C, Guo J, Killory B, Danielson N, Vestal M, Berman R, Martin L, Gonzalez JL, Blumenfeld H, Spann MN. Symptoms of anxiety and depression in childhood absence epilepsy. *Epilepsia*. 2011; 52 (8): e70-4.
- Weisani Y, Mohamadian F, Delpisheh A. Prevalence and comorbidity of common mental disorders and associations with suicidal ideation in the adult population. *Epidemiol Health*. 2017; 39: e2017031.
- Verri AP, Galimberti CA, Perucca P, Cremante A, Vernice M, Uggetti A. Psychotic disorder and focal epilepsy in a left-handed patient with chromosome XYY abnormality. *Genet Couns*. 2008; 19 (4): 373-9.
- Videbech T. The psychopathology of anancastic endogenous depression. *Acta Psychiatr Scand*. 1975; 52 (5): 336-73.
- Vivar R, Morón G, Padilla M, Alarcón RD. Homicidal/violent thoughts, suicidal ideation and violent behavior in adolescents with social phobia in Metropolitan Lima, Perú. *Asia Pac Psychiatry*. 2014; 6 (3): 252-8.
- Vollmoeller W. AIDS in psychiatry and psychotherapy: special psychodynamic and psychopathologic aspects based on a case with "AIDS phobia". *Z Psychosom Med Psychoanal*. 1988; 34 (4): 351-60.
- von Gontard A, Müller U. Psychiatric and neuropsychological symptoms in children with arachnoid cysts--a case report. *Z Kinder Jugendpsychiatr*. 1991; 19 (1): 30-37.
- Vörös V, Tényi T, Simon M, Trixler M. Clonal Pluralization of the Self: A New Form of Delusional Misidentification Syndrome. *Psychopathology* 2003; 36: 46-48.
- Vovin RI, Eryshev OF, Khvilivitskiï Tla. Clinical features of manic-depressive psychosis with organic brain defects. *Zh Nevropatol Psikhiatr Im S S Korsakova*. 1978; 78 (3): 397-402.
- Vygotsky L. Obras Escogidas. Madrid; Antonio Machado: 2014.
- Wade TD, Lowes J. Variables associated with disturbed eating habits and overvalued ideas about the personal implications of body shape and weight in a female adolescent population. *Int J Eat Disord*. 2002; 32 (1): 39-45.
- Waldron WG. The entomologist and illusions of parasitosis. *Calif Med*. 1972; 117 (2): 76-78.
- Walker LA, Cheng A, Berard J, Berrigan LI, Rees LM, Freedman MS. Tests of information processing speed: what do people with multiple sclerosis think about them? *Int J MS Care*. 2012; 14 (2): -99.
- Walloch JE, Klauwer C, Lanczik M, Brockington IF, Kornhuber J. Delusional Denial of Pregnancy as a Special Form of Cotard's Syndrome. *Psychopathology* 2007; 40: 61-64.
- Wallston K. Control Beliefs: Health Perspectives. International Encyclopedia of the Social & Behavioral Sciences. Oxford; Pergamon: 2001.

- Wani ZA et al. Cotard's syndrome and delayed diagnosis in Kashmir, India. *Int J Ment Health Syst.* 2008; 2 (1):1.
- Watkins E, Moulds M, Mackintosh B. Comparisons between rumination and worry in a non-clinical population. *Behav Res Ther.* 2005; 43 (12): 1577-1585.
- Watkins E, Scott J, Wingrove J, Rimes K, Bathurst N, Steiner H, Kennell-Webb S, Moulds M, Malliaris Y. Rumination-focused cognitive behaviour therapy for residual depression: a case series. *Behav Res Ther.* 2007; 45 (9): 2144-2154.
- Watkins E, Teasdale JD. Adaptive and maladaptive self-focus in depression. *J Affect Disord.* 2004; 82 (1): 1-8.
- Waxman D. Hospital phobia: a rapid desensitization technique. *Postgrad Med J.* 1978; 54 (631): 328-330.
- Weber T, Eberle J, Messelhäuser U, Schiffmann L, Nies C, Schabram J, Zielke A, Holzer K, Rottler E, Henne-Bruns D, Keller M, von Wietersheim J. Parathyroidectomy, elevated depression scores, and suicidal ideation in patients with primary hyperparathyroidism: results of a prospective multicenter study. *JAMA Surg.* 2013; 148 (2): 109-15.
- Weddington WW Jr, Banner A. Organic affective syndrome associated with metoclopramide: case report. *J Clin Psychiatry.* 1986; 47 (4): 208-9.
- Wenzel T, Sibitz I, Kieffer W, Strobl R. Capgras Syndrome and Functional Psychosis in 2 Survivors of Torture. *Psychopathology.* 1999; 32: 203-6.
- Wernicke C. Grundriss der Psychiatrie in Klinischen Vorlesungen. Leipzig: Verlag von Georg Thieme; 1900.
- Wernicke C. Outline of Psychiatry in Clinical Lectures. *The Alienist and Neurologist.* 1899; 20 (2): 1-23.
- Weston MJ, Whitlock FA. The Capgras syndrome following head injury. *Br J Psychiatry* 1971; 119: 25-31.
- Westphal CFO. Die Agoraphobie, eine neuropathische Erscheinung. *Archiv für Psychiatrie und Nervenkrankheiten.* Berlin. 1871-72; 3: 138-61.
- Wetzler AJ, Elias R, Fostick L, Zohar J. Suicidal ideation versus suicidal obsession: a case report. *CNS Spectr.* 2007;12(7):553-6.
- Whittemore CL, Spitz HH. An assessment of hypothesis testing in mentally retarded adolescents. *J Ment Defic Res.* 1976; 20 (4): 243-50.
- Whybrow PC, Prange AJ Jr. A hypothesis of thyroid-catecholamine-receptor interaction. Its relevance to affective illness. *Arch Gen Psychiatry.* 1981; 38 (1): 106-13.
- Whytt R. An essay on the vital and other involuntary motions of animals. Eddinbourg; Hamilton, Balfour, and Neill: 1751.
- Wiedemar L, Schmid JP, Müller J, Wittmann L, Schnyder U, Saner H, von Känel R.

- Prevalence and predictors of posttraumatic stress disorder in patients with acute myocardial infarction. *Heart Lung*. 2008; 37 (2): 113-21.
- Wilcock GK, Ballard CG, Cooper JA, Loft H. Memantine for agitation/aggression and psychosis in moderately severe to severe Alzheimer's disease: a pooled analysis of 3 studies. *J Clin Psychiatry*. 2008; 69 (3): 341-8.
- Williams D, Loshak H. Laser Interstitial Thermal Therapy for Epilepsy and/or Brain Tumours: A Review of Clinical Effectiveness and Cost-Effectiveness [Internet]. Ottawa (ON): Canadian Agency for Drugs and Technologies in Health; 2019 Jun 17.
- Windham RHS. Psychiatric symptoms in Parkinsonism. *J Neurol Neurosurg Psychiatr*. 1970; 33; 188-91.
- Wirtz G, Baas U, Hofer H, Nyffeler T, Seifritz E, Müri R, Gutbrod K. Psychopathology of Ganser's syndrome. Literature review and case report. *Nervenarzt*. 2008; 79 (5): 543-57.
- Wisner KL, Peindl KS, Gigliotti T, Hanusa BH. Obsessions and compulsions in women with postpartum depression. *J Clin Psychiatry*. 1999; 60 (3): 176-80.
- Wolfe-Christensen C, Mullins LL, Scott JG, McNall-Knapp RY. Persistent psychosocial problems in children who develop posterior fossa syndrome after medulloblastoma resection. *Pediatr Blood Cancer*. 2007;49 (5): 723-6.
- Wonde M, Mulat H, Birhanu A, Biru A, Kassew T, Shumet S. The magnitude of suicidal ideation, attempts and associated factors of HIV positive youth attending ART follow ups at St. Paul's hospital Millennium Medical College and St. Peter's specialized hospital, Addis Ababa, Ethiopia. 2018. *PLoS One*. 2019; 14 (11): e0224371.
- World health organization. Glossary of the Schedules for clinical assessment in neuropsychiatry version 2.0. Geneva: American psychiatric press, inc; 1994.
- Wright S, Young AW. Fregoli delusión and erotomania. *Journal of Neurology, Neurosurgery, and Psychiatry*. 1993; 56: 322-4.
- Yadav T, Balhara YP, Kataria DK. Pseudocyesis Versus Delusion of Pregnancy: Differential Diagnoses to be Kept in Mind. *Indian J Psychol Med*. 2012; 34 (1): 82-4.
- Yamashita T, Fujimoto K, Aoi K, Shimura E, Kubo K. A study of psychopathology in phobia and obsessive-compulsive disorder: through the treatment of exposure and response prevention by transcutaneous electrical stimulation. *Seishin Shinkeigaku Zasshi*. 1991; 93 (8): 645-73.
- Yang MS, Yang MJ. Correlated risk factors for suicidal ideation in aboriginal Southern Taiwanese women of childbearing age. *Public Health*. 2000; 114 (4): 291-4.
- Yaryura-Tobias JA. An Overview on Delusions, Obsessions and Overvalued Ideas. Na Intimate Cluster of Thought Pathology. *Clin Neuropsychol*. 2004; 1 (1): 5-12.

- Yaryura-Tobias JA, Neziroglu FA. Obsessive-Compulsive Disorder Spectrum. Pathogenesis, diagnosis, and treatment. Washington DC: American psychiatric Press Inc; 1997.
- Yasaki S, Ohshima J, Yonekura J, Takahashi Y, Someya K. A case of early syphilis presenting general paresis-like symptoms and bilateral tonic pupils. *Rinsho Shinkeigaku*. 1992; 32 (9):994-9.
- Yasuda M. A clinical study of suicidal behavior in schizophrenic patients. *Seishin Shinkeigaku Zasshi*. 1992; 94 (2): 135-170.
- Yonkers KA, Gullion C, Williams A, Novak K, Rush AJ. Paroxetine as a treatment for premenstrual dysphoric disorder. *J Clin Psychopharmacol*. 1996; 16 (1): 3-8.
- Yoshimasu K, Kondo T, Tokunaga S, Kanemitsu Y, Sugahara H, Akamine M, Fujisawa K, Miyashita K, Kubo C. Mental and somatic symptoms related to suicidal ideation in patients visiting a psychosomatic clinic in Japan. *Int J Gen Med*. 2009; 2: 163-70.
- Yu CH, Lee MB, Tseng MM, Liao SC. Obsessive-compulsive symptoms as a manifestation of neuropsychiatric systemic lupus erythematosus. *J Formos Med Assoc*. 2008; 107 (1): 68-72.
- Zahid S, Uptegrove R. Suicidality in Autistic Spectrum Disorders. *Crisis*. 2017; 38 (4): 237-46.
- Zahn R, Lythe KE, Gethin JA, Green S, Deakin JF, Young AH, Moll J. The role of self-blame and worthlessness in the psychopathology of major depressive disorder. *J Affect Disord*. 2015; 186: 337-41.
- Zheng ZP. Comparison of the content of delusions of schizophrenics in China and Japan: cross-cultural psychiatric investigation. *Zhonghua Shen Jing Jing Shen Ke Za Zhi*. 1989; 22 (5): 266-8, 317.
- Zhong QY, Wells A, Rondon MB, Williams MA, Barrios YV, Sanchez SE, Gelaye B. Childhood abuse and suicidal ideation in a cohort of pregnant Peruvian women. *Am J Obstet Gynecol*. 2016; 215 (4): 501.e1-8.
- Zia B, Heisel MJ, Peckham SB, Rosen S. A Psychometric Assessment of the Suicidal Behaviors Questionnaire (SBQ-5) and Geriatric Suicide Ideation Scale-Screen (GSIS-screen) in Middle-Aged and Older Men. *Clin Gerontol*. 2020; 43 (1): 46-60.
- Zihlerl S, Cebasek Travnik Z, Kores Plesnicar B, Tomori M, Zalar B. Trait aggression and hostility in recovered alcoholics. *Eur Addict Res*. 2007; 13 (2): 89-93.
- Zisook S, Shuchter SR. Uncomplicated bereavement. *J Clin Psychiatry*. 1993; 54 (10): 365-72.
- Zoccola PM, Dickerson SS, Lam S. Rumination predicts longer sleep onset latency after an acute psychosocial stressor. *Psychosom Med*. 2009; 71 (7): 771-5.
- Zoldan J, Friedberg G, Livneh M, Melamed E. Psychosis in advanced Parkinson's

disease: treatment with ondansetron, a 5-HT₃ receptor antagonist. *Neurology*. 1995; 45 (7): 1305-8.